КАТАЛОГ(КАМБУЗНОЕ И ПРАЧЕЧНОЕ ОБОРУДОВАНИЕ)



ООООТЛК "СУДОКОМПЛЕКТ
ПОСТАВЩИК СУДОВОГО ОБОРУДОВАНИЯ

Website:www.mor-sk.ru
тел+7 920 030 05 75
тел. +7 920 010 00 68
тел.+7 920 060 30 80
E-mail:avponkin@yandex.ru
E-mail:tlk.sudokomlekt@yandex.ru

船用电磁炒灶

Marine Electromagnetic Cooker



AEC-10D



进口微晶玻璃



液晶显示屏

[产品主要性能特点]

- 全不锈钢结构
- 先进电磁加热系统，炉面为进口微晶玻璃，使用寿命长
- 液晶屏显示，设备状态实时监控
- 功率大，热耗低，热效应达到90%以上
- 具有高效，安全，易清洗等特点
- 设有防浪扶手

[MAIN FEATURES]

- Complete stainless steel execution.
- With advanced induction heating system and imported ceramic glass heating top to ensure long service life.
- LED display is used for constantly monitoring the equipment
- Low power consumption. The heating efficiency is oven 90%.
- With characteristics of high efficiency,safe and easy cleaning.
- Equipped with wave protection armrests.

型号 Model	电制 Voltage	功率 Rating	尺寸 Size	重量 Weight
AEC-5	380~415V-3P-50Hz 440~480V-3P-60Hz	5Kw	700×700×850mm	70kg
AEC-8	380~415V-3P-50Hz 440~480V-3P-60Hz	8Kw	800×900×850mm	75kg
AEC-10	380~415V-3P-50Hz 440~480V-3P-60Hz	10Kw	800X900X850mm	75kg
AEC-5D	380~415V-3P-50Hz 440~480V-3P-60Hz	10Kw	1400×700×850mm	120kg
AEC-8D	380~415V-3P-50Hz 440~480V-3P-60Hz	16Kw	1800×900×850mm	140kg
AEC-10D	380~415V-3P-50Hz 440~480V-3P-60Hz	20Kw	1800×900×850mm	140kg

船用电磁大锅灶

Marine Large Electromagnetic Cooker

[产品主要性能特点]

- 全不锈钢结构
- 先进电磁加热系统，炉面为进口微晶玻璃，使用寿命长
- 液晶屏显示，设备状态实时监控
- 功率大，热耗低，热效应达到90%以上
- 具有高效，安全，易清洗等特点
- 设有防浪扶手

[MAIN FEATURES]

- Complete stainless steel execution.
- With advanced induction heating system and imported ceramic glass heating top to ensure long service life.
- LED display is used for constantly monitoring the equipment
- Low power consumption. The heating efficiency is oven 90%.
- With characteristics of high efficiency,safe and easy cleaning.
- Equipped with wave protection armrests.



AECD-15



电磁大锅灶锅体



机芯模块

电磁大锅灶局部

型号 Model	电制 Voltage	功率 Rating	尺寸 Size	重量 Weight
AECD-12	380~415V-3P-50Hz 440~480V-3P-60Hz	12Kw	1100×1150×850mm	100kg
AECD-15	380~415V-3P-50Hz 440~480V-3P-60Hz	15Kw	1100×1150×850mm	100kg
AECD-20	380~415V-3P-50Hz 440~480V-3P-60Hz	20Kw	1100×1150×850mm	100kg
AECD-15D	380~415V-3P-50Hz 440~480V-3P-60Hz	30Kw	2000×1150×850mm	230kg
AECD-20D	380~415V-3P-50Hz 440~480V-3P-60Hz	40Kw	2000×1150×850mm	230kg

船用方头电灶

Marine Cooking Range (Square Hot Plate)



AZS4/R

[产品主要性能特点]

- 全不锈钢结构
- 7档调节式温控开关
- 台面设有放浪扶手和放浪隔架
- 采用德国进口E.G.O加热盘及控制元件
- 灶盘表面经过耐磨、防腐蚀、耐高温处理
- 灶下可选配烤箱或储物柜两种形式

[MAIN FEATURES]

- Complete stainless steel execution.
- 7-Stop thermal control knob
- With handrail and storm racks
- Hot plates and control elements are imported from E.G.O Germany
- The hot plates can stand abrasion、 corrosion and high temperature
- Oven or locker can be under the range





型号 Model	电制 Voltage	功率 Rating	外形尺寸 Size（W×D×H）	重量 Weight
AZS2	380~415V-3P-50Hz 440~480V-3P-60Hz	8Kw	800×700×850mm	55kg
AZS4	380~415V-3P-50Hz 440~480V-3P-60Hz	16Kw	800×900×850mm	100kg
AZS4/R	380~415V-3P-50Hz 440~480V-3P-60Hz	20.8Kw	800×900×850mm	150kg
AZS6	380~415V-3P-50Hz 440~480V-3P-60Hz	24Kw	1200×900×850mm	140kg
AZS6/R	380~415V-3P-50Hz 440~480V-3P-60Hz	28.8Kw	1200×900×850mm	180kg

船用圆头电灶

Marine Cooking Range (Round Hot Plate)

[产品主要性能特点]

- 全不锈钢结构
- 7档调节式温控开关
- 台面设有放浪扶手和放浪隔架
- 采用德国进口E.G.O加热盘及控制元件
- 灶盘表面经过耐磨、防腐蚀、耐高温处理
- 灶下可选配烤箱或储物柜两种形式

[MAIN FEATURES]

- Complete stainless steel execution.
- 7-Stop thermal control knob
- With handrail and storm racks
- Hot plates and control elements are imported from E.G.O Germany
- The hot plates can stand abrasion、 corrosion and high temperature
- Oven or locker can be under the range



AZR4/R





型号 Model	电制 Voltage	功率 Rating	外形尺寸 Size（W×D×H）	重量 Weight
AZR2	380~415V-3P-50Hz 440~480V-3P-60Hz	5.2Kw	700×500×850mm	35kg
AZR4	380~415V-3P-50Hz 440~480V-3P-60Hz	10.4Kw	700×700×850mm	65kg
AZR4/R	380~415V-3P-50Hz 440~480V-3P-60Hz	15.2Kw	700×700×850mm	105kg
AZR6	380~415V-3P-50Hz 440~480V-3P-60Hz	15.6Kw	1050×700×850mm	80kg
AZR6/R	380~415V-3P-50Hz 440~480V-3P-60Hz	20.4Kw	1050×700×850mm	120kg

船用燃油汽化灶

Marine Diesel Gas Range



QHZ50-2

[产品主要性能特点]

- 全不锈钢结构
- 采用安全的电子点火器，方便操作
- 本体带压力油箱
- 设防浪扶手
- 底脚形式适合安装固定

[MAIN FEATURES]

- Complete stainless steel execution.
- Use electronic ignition,easy to operate
- Body with pressure oil tank
- With handrails
- Easy to install with the adjustable fixed feet





型号 Model	电制 Voltage	供餐人数 Capacity	功率 Rating	尺寸 Size	重量 Weight
QHZ30-2	220V-1P-50/60Hz	30 Persons	0.3Kw	1200×645×850mm	850kg
QHZ50-2	220V-1P-50/60Hz	50 Persons	0.3Kw	1450×645×850mm	100kg
QHZ100-2	220V-1P-50/60Hz	100 Persons	0.3Kw	1650×850×850mm	130kg
QHZ200-2	220V-1P-50/60Hz	200 Persons	0.3Kw	1850×940×850mm	150kg

船用可倾式电炒锅

Marine Titling Frying Pan

[产品主要性能特点]

- 全不锈钢结构
- 轮转式手动倾斜装置
- 加热温度在60℃~300℃之间可任意设定
- 设有限位感应装置，锅底倾斜时自动停止加热
- 锅底圆角设计，方便清洗
- 翻转机构可选择电动模式
- 配带可调节底脚

[MAIN FEATURES]

- Complete stainless steel execution.
- Rotary manual tilt device
- Heating temperature is between 60℃ and 300℃,and can be set freely
- Induction system on the pan bottom will automatically stop heating when the pan body tilt
- Rounded bottom designed,easy for cleaning
- The turnover mechanism can be chosen electric mode
- With adjustable fixed feet



ACG-40





型号 Model	电制 Voltage	容量 Capacity	功率 Rating	尺寸 Size	重量 Weight
ACG-40	380~415V-3P-50Hz 440~480V-3P-60Hz	40L	9Kw	700×700×850mm	120kg
ACG-60	380~415V-3P-50Hz 440~480V-3P-60Hz	60L	9Kw	800×900×850mm	150kg
ACG-50R	380~415V-3P-50Hz 440~480V-3P-60Hz	50L	9Kw	1025×700×850mm	150kg
ACG-150R	380~415V-3P-50Hz 440~480V-3P-60Hz	150L	12Kw	1400×900×900mm	230kg

船用可倾式电汤锅
Marine Titling Boiling Pan



ATG-60Q(手动)



ATG-60Q(电动)

[产品主要性能特点]

- 全不锈钢结构
- 轮转式手动或电动倾斜装置
- 锅体采用三隔层结构，间接加热，加热高效均匀
- 设有低水位自动断电保护装置
- 外置压力表、减压阀，对设备进行过压保护
- 翻转机构可选择电动模式
- 底脚形式适合安装固定

[MAIN FEATURES]

- Complete stainless steel execution.
- Rotate the mamual or electric tilting device
- The pan body is designed with three-tier insulation structure, The heating is indirect,efficient and even
- Automatic water lacking breaker is installed
- External pressure gauge and pressure releasing valve are applied for over pressure protection
- The turnover mechanism can be chosen electric mode
- Easy to install with the adjustable fixed feet





型号 Model	电制 Voltage	容量 Capacity	功率 Rating	尺寸 Size	重量 Weight
ATG-40Q	380~415V-3P-50Hz 440~480V-3P-60Hz	40L	9Kw	790×620×900mm	100kg
ATG-60Q	380~415V-3P-50Hz 440~480V-3P-60Hz	60L	9Kw	840×680×950mm	120kg
ATG-150Q	380~415V-3P-50Hz 440~480V-3P-60Hz	150L	18Kw	1050×880×1000mm	230kg
ATG-250Q	380~415V-3P-50Hz 440~480V-3P-60Hz	250L	27Kw	1300×980×1100mm	350kg

船用电烤箱

Marine Baking Oven

[产品主要性能特点]

- 全不锈钢结构
- 上下层两组加热器，并独立控制
- 采用德国进口E.G.O温控开关
- 烤箱温度在60~300℃之间可设定，并自动恒温
- 下层烤箱可替换成发酵箱
- 底层设烤盘存放柜

[MAIN FEATURES]

- Complete stainless steel execution.
- Two groups of heater and independent control
- The thermostat is imported from E.G.O Germany
- The oven temperature can be set between the 60 ~ 300 ℃, and automatic constant temperature
- The oven can be replaced with fermentation tank
- The underlying set pan deposit ark



ACG-60





型号 Model	电制 Voltage	功率 Rating	尺寸 Size	重量 Weight
AKX111	380~415V-3P-50Hz 440~480V-3P-60Hz	5.2Kw	800×800×1300mm	95kg
AKX201	380~415V-3P-50Hz 440~480V-3P-60Hz	8.4Kw	800×800×1350mm	105kg
AKX211	380~415V-3P-50Hz 440~480V-3P-60Hz	9.4Kw	800×800×1750mm	135kg
AKX301	380~415V-3P-50Hz 440~480V-3P-60Hz	12.6Kw	800×800×1750mm	155kg

船用蒸饭箱
Marine Steam Box



AZH-24

[产品主要性能特点]

- 全不锈钢结构
- 箱内设蒸饭架，配不锈钢蒸盘
- 加热方式可选择电、蒸汽两种加热方式
- 带定时器，可自由设定蒸煮时间，实现自动停机
- 设独立的控制箱，箱内设除湿装置
- 带自动补水及缺水报警装置
- 左右门开向可根据需求设置
- 配带不锈钢可调节脚

[MAIN FEATURES]

- Complete stainless steel execution.
- Steaming rack inside the box,with stainless steel steaming plate
- There are two ways of heating -the electric heating and the steam heating
- With timer,set cooking time,automatic shutdown
- Independent control cabinet with dehumidification devices
- Automatic water compensation and dry-burning alarm
- Left and right door can be set as per the request
- With adjustable fixed feet





型号 Model	电制 Voltage	容量 Capacity	功率 Rating	尺寸 Size	重量 Weight
AZH-16	380~415V-3P-50Hz 440~480V-3P-60Hz	16kg	6Kw	650×750×1350mm	95kg
AZH-24	380~415V-3P-50Hz 440~480V-3P-60Hz	24kg	9Kw	650×750×1500mm	120kg
AZH-36	380~415V-3P-50Hz 440~480V-3P-60Hz	36kg	9Kw	650×750×1650mm	135kg
AZH-42	380~415V-3P-50Hz 440~480V-3P-60Hz	42kg	12Kw	650×750×1750mm	145kg

船用万能蒸烤箱

Marine Combi-Oven

[产品主要性能特点]

- 全不锈钢结构，外形美观大方
- 高效能电热管，加热速度快；风机正反转，温度更均匀
- 三个常用模式，切换简单；肉针模式，可探、控食物内部温度
- 排湿功能，保证烤制效果；自带锅炉，蒸汽更充分
- 喷雾法产生蒸汽，以便备用；二级开门，防止蒸汽突然涌出伤人
- 自动补水及缺水报警
- 适合烹饪各种菜式
- 不锈钢底座（可选）

[MAIN FEATURES]

- Complete stainless steel execution,beautiful appearance.
- High efficiency electric heating tube,Heat speed quickly, fan is reversing,the temperature is more uniform
- Three types of common model,switch is simple:meat needle mode,can be detected,control food inside temperature
- Dehumidifying function,ensure the roasting effect,with steam boiler,steam more fully
- Spray method can produce steam,can spare, two stage open the door,to prevent steam to hurt the person
- Automatic water compensation and dry-burning alarm
- S/S stand(Optional)



ACF10F10



ACF20F10





型号 Model	电制 Voltage	容量 Capacity	功率 Rating	尺寸 Size	重量 Weight
ACF04F10	380~415V-3P-50Hz 440~480V-3P-60Hz	4×1/1GN Pan	4.6Kw	502×642×1400mm	120kg
ACF06F10	380~415V-3P-50Hz 440~480V-3P-60Hz	6×1/1GN Pan	13Kw	910×820×1700mm	200kg
ACF10F10	380~415V-3P-50Hz 440~480V-3P-60Hz	10×1/1GN Pan	19Kw	910×820×1800mm	215kg
ACF20F10	380~415V-3P-50Hz 440~480V-3P-60Hz	20×1/1GN Pan	37Kw	910×820×1880mm	350kg

船用深煎锅（带灭火系统）

Marine Deep Frying Pan



20DPFE/FEQ



[产品主要性能特点]

- 全不锈钢结构
- 设自动探测、灭火、报警和自动切断电源装置
- 设手动应急启动灭火系统
- 设控制外部报警常闭常开触头或控制电源输出
- 设工作恒温器，限温器故障报警功能
- 设油锅排油阀，配储油桶
- 设放浪扶手
- 产品符合SOLAS规范，通过CCS、ABS、GL、EC等船级社形式认证

[MAIN FEATURES]

- Complete stainless steel execution
- Set up automatic detection, fire~fighting, alarm and automatically cut off the power supply device
- Start the fire extinguishing system emergency manually
- Set control and contact controlling power output
- With thermostat set work,Limit the warm fault alarm function
- With oil barrels，A pan of oil discharge valve
- With handrails
- Products comply with SOLAS specifications, through the CCS/ABS/GL/EC certification.





型号 Model	电制 Voltage	容量 Capacity	功率 Rating	尺寸 Size	重量 Weight
10DPFR/FEQ	380~415V-3P-50Hz 440~480V-3P-60Hz	10L	9Kw	450×915×1755mm	125kg
20DPFR/FEQ	380~415V-3P-50Hz 440~480V-3P-60Hz	20L	9Kw	800×915×1755mm	160kg
DRG6M	380~415V-3P-50Hz 440~480V-3P-60Hz	10L	9Kw	400×900×1550mm	125kg
DRG9MS	380~415V-3P-50Hz 440~480V-3P-60Hz	20L	9Kw	650×900×1550mm	160kg

船用深煎锅

Marine Deep Frying Pan

- 全不锈钢结构
- 带过温保护
- 加热管活动式设计，便于清洁
- 下设不锈钢柜，便于存放用具
- 配带可调节底脚

- Complete stainless steel execution.
- Over-temperature protection
- Heating pipe can move,easy to clean
- The down parts,have stainless steel cabinet for storage appliances
- With adjustable fixed feet



ADF-16S

型号 Model	电制 Voltage	功率 Rating	尺寸 Size	重量 Weight
ADF-81	110V-1P-60Hz 220V~1P~50/60Hz	2.5Kw	290×440×310mm	7kg
ADF-82	110V-1P-60Hz 220V~1P~50/60Hz	5Kw	580×440×310mm	20kg
ADF-16S	380~415V-3P-50Hz 440~480V-3P-60Hz	17Kw	700×700×850mm	75kg
ADF-20S	380~415V-3P-50Hz 440~480V-3P-60Hz	33Kw	800×900×850mm	85kg

船用电饼铛

Marine Pancake Stove

- 整体不锈钢结构，坚固耐用，外观简洁大方
- 电饼铛可以灵活进行烤、烙、煎等加工。
- 上下盘同时加热，两面受热均匀，温度可任意设定冰自动恒温

- stainless steel structure, durable, concise and easy appearance
- The electric can be flexible for baking, grilling, frying processing.
- On the lower heating at the same time, the two sides heated evenly, temperature automatic constant temperature can be set arbitrary ice



APS45

型号 Model	电制 Voltage	功率 Rating	尺寸 Size	重量 Weight
PH305	220V~1P~50/60Hz	1.2Kw	350×350×980mm	2.4kg
APS45	220V~1P~50/60Hz 380~415V-3P-50Hz 440~480V-3P-60Hz	4.8Kw	840×660×850mm	45kg

船用电扒炉
Marine Electric Griddle

[产品主要性能特点]

- 全不锈钢结构
- 带过温保护
- 平扒、坑扒、平/坑混合型多种形式
- 下设不锈钢柜，便于存放用具

[MAIN FEATURES]

- Complete stainless steel execution.
- Over-temperature protection
- Grilled flat, pit and flat/pit hybrid variety of forms
- The down parts,have stainless steel cabinet for storage appliances



AGH-7070

型号 Model	电制 Voltage	功率 Rating	尺寸 Size	重量 Weight
AGH-820	110V/1P/60Hz 220V~1P~50/60Hz	4.5Kw	730×500×230mm	34kg
AGH-7070	380~415V/3P/50Hz 440~480V/3P/60Hz	9Kw	700×700×850mm	85kg
ADF-8090	380~415V/3P/50Hz 440~480V/3P/60Hz	13Kw	800×900×850mm	120kg

船用电热温水炉
Electric Water Heater

[产品主要性能特点]

- 全不锈钢结构，圆柱型设计。
- 自带安全保护装置
- 采用高密度聚氨酯发泡保温，保温效果极佳

[MAIN FEATURES]

- Complete stainless steel execution,Cylindrical design.
- With safety protection device
- Use high-density polyurethane foam insulation, thermal insulation excellent result



ALB-200

型号 Model	电制 Voltage	容量 Capacity	功率 Rating	尺寸 Size	重量 Weight
ALB-200	380~415V/3P/50Hz 440~480V/3P/60Hz	200L	12Kw	770×600×1300mm	100kg
ALB-300	380~415V/3P/50Hz 440~480V/3P/60Hz	300L	24Kw	860×700×1300mm	130kg
ALB-400	380~415V/3P/50Hz 440~480V/3P/60Hz	400L	36Kw	860×700×1600mm	175kg

船用豆腐机

Marine Marine Tofu Machine



AJ35A

[产品主要性能特点]

- 全不锈钢结构
- 磨浆、煮浆一体化设计、简单方便
- 磨浆时，浆渣自动分离
- 附豆浆桶，及时加热成品豆浆
- 可选配豆腐压榨机



[MAIN FEATURES]

- Stainless steel structure
- Grinding and boiling are incorporated on single machine
- The bean milk and dreg can be separated automatically when being grinded
- Equipped with soya-bean milk bucket for timely heating soya-bean milk product
- Choose Tofu press machine

型号 Model	电制 Voltage	功率 Rating	尺寸 Size	重量 Weight
AJ35A	380~415V-3P-50Hz 440~480V-3P-60Hz	13Kw	900×640×1300mm	95kg
AJ70A	380~415V-3P-50Hz 440~480V-3P-60Hz	13Kw	1580×600×1350mm	120kg

船用豆浆机

Marine Soybean Milk Machine



AFS120

- 全不锈钢结构
- 磨豆效率高、经久耐用、操作方便
- 底脚形式适合安装固定



- Stainless steel structure
- High efficiency for grinding beans,easy to operate
- The bean milk and dreg can be separated automatically when being grinded
- Easy to install with the adjustable fixed feet

型号 Model	电制 Voltage	产量 Capacity	功率 Rating	尺寸 Size	重量 Weight
AFS100	220V-1P-50/60Hz	20kg/h	1.0Kw	295×408×930mm	30kg
AFS120	220V-1P-50/60Hz	50kg/h	1.5Kw	300×490×1055mm	35kg
AFS150	220V-1P-50/60Hz	60kg/h	1.8Kw	525×360×1060mm	45kg

船用不锈钢立式冰箱
Marine Stainless Steel Refrigerator

[产品主要性能特点]

- 不锈钢整体结构
- 采用高品质进口压缩机
- 数字显示温控，开门带锁
- 冷藏、冷冻及双温三种形式

[MAIN FEATURES]

- Stainless steel structure
- Use the high quality import compressor
- Digital display temperature control, open the door with lock
- Three types:cold shortage,cold freeze and dual temperature




AF1000R/F

AF500R/F







冰箱搁架

型号 Model	电制 Voltage	容量 Capacity	功率 Rating	尺寸 Size	重量 Weight
AS300R/F	220V-1P-50/60Hz	300L	0.2Kw	600×600×1800mm	100kg
AS500R/F	220V-1P-50/60Hz	500L	0.3Kw	620×760×1920mm	120kg
AS1000R/F	220V-1P-50/60Hz	1000L	0.45Kw	1220×760×1920mm	180kg
AS1500R/F	220V-1P-50/60Hz	1500L	0.85Kw	1810×760×1920mm	250kg

船用不锈钢工作台冰箱

Marine Stainless Steel Worktable Refrigerator

- 不锈钢整体结构
- 采用高品质进口压缩机
- 数字显示温控，开门带锁
- 冷藏、冷冻两种形式

- Stainless steel structure
- Use the high quality import compressor
- Digital display temperature control, open the door with lock
- Two types:cold shortage,cold freeze



AW300R/F

型号 Model	电制 Voltage	容量 Capacity	功率 Rating	尺寸 Size	重量 Weight
AW300R/F	220V-1P-50/60Hz	300L	0.6Kw	1500×760×850mm	110kg
AW400R/F	220V-1P-50/60Hz	450L	0.65Kw	1800×760×850mm	130kg

船用舱室冰箱

Marine Cabin Refrigerator

- 采用环戊烷碳氢无氟微孔发泡，保温性能好
- 采用高性能压缩机及环保型制冷剂
- 容量50L~300L可供选择
- 可选配船用可调节底脚及固定支架

- Cyclopentane fluorine free hydrocarbon microcellular foaming is used for good thermal insulation
- Compressor with good quality and environment-friendly refrigerant are used
- The capacity is variable 50L to 300L
- Marine adjustable legs and rear fasteners are optional



AR200

型号 Model	电制 Voltage	容量 Capacity	功率 Rating	尺寸 Size	重量 Weight
AR50	220V-1P-50/60Hz	50L	0.15Kw	500×462×536mm	21kg
AR95	220V-1P-50/60Hz	95L	0.35Kw	480×535×855mm	30kg
AR130	220V-1P-50/60Hz	130L	0.45Kw	480×525×1260mm	40kg
AR170	220V-1P-50/60Hz	170L	0.43Kw	495×575×1400mm	50kg
AR200	220V-1P-50/60Hz	200L	0.55Kw	562×624×1485mm	55kg
AR260	220V-1P-50/60Hz	260L	0.68Kw	578×635×1725mm	60kg
AR300	220V-1P-50/60Hz	300L	0.73Kw	640×673×1800mm	78Kg

船用制冰机
Marine Ice Maker





AIM-36

[产品主要性能特点]

- 主体不锈钢结构
- 采用高品质进口压缩机
- 微电脑全自动控制，方便实用

[MAIN FEATURES]

- The main body is made of stainless steel
- Use the high quality import compressor
- Micro-computer controlled,convenient for operation

型号 Model	电制 Voltage	产量 Capacity	功率 Rating	尺寸 Size	重量 Weight
AIM-26	220V-1P-50/60Hz	26kg/24h	0.68Kw	480×550×1050mm	42kg
AIM-36	220V-1P-50/60Hz	36kg/24h	0.72Kw	480×550×1050mm	43kg
AIM-76	220V-1P-50/60Hz	76kg/24h	1.1Kw	670×650×1100mm	59kg
AIM-96	220V-1P-50/60Hz	96kg/24h	1.1Kw	670×650×1100mm	77kg

船用冰激凌机
Marine Ice Cream Machine





AKX-200

- 主体不锈钢结构
- 采用高品质进口压缩机
- 智能触控，一键成型

- The main body is made of stainless steel
- Use the high quality import compressor
- Intelligent touch,press a button to make to shape

型号 Model	电制 Voltage	容量 Capacity	功率 Rating	尺寸 Size	重量 Weight
AKX100	220V-1P-50/60Hz	22L/h	2.3Kw	540×650×800mm	100kg
AKX200	220V-1P-50/60Hz	25L/h	2.5Kw	540×585×1360mm	110kg

船用不锈钢沙拉台

Marine Salads Bar

- 全不锈钢结构
- 采用高性能压缩机及环保型制冷剂
- 采用电子温控，数字显示

- Stainless steel structure
- Cyclopentane fluorine free hydrocarbon microcellular foaming is used for good thermal insulation
- Electronic thermostat with numeral display



ASB1200

型号 Model	电制 Voltage	功率 Rating	尺寸 Size	重量 Weight
ASB800	220V-1P-50/60Hz	0.5Kw	800×650×850mm	90kg
ASB1200	220V-1P-50/60Hz	0.7Kw	1200×650×850mm	105kg
ASB1600	220V-1P-50/60Hz	0.9Kw	1600×650×850mm	120kg

船用电热保温桌

Marine Electric Hot Cupboard

- 全不锈钢结构
- 带防干烧装置，使用安全
- 有与设备配套的各种规格份数盘可供选择
- 可根据需要选择湿式或者干式保温形式

- Stainless steel structure
- With prevent dry heating device, the use of security
- With a matching equipment and all kinds of dishes to choose from
- Can choose according to need to wet or dry heat preservation



AHC1865

型号 Model	电制 Voltage	功率 Rating	尺寸 Size	重量 Weight
AHC1565	220V-1P-50/60Hz 380~415V-3P-50Hz 440~480V-3P-60Hz	2Kw	1500×650×850mm	80kg
AHC1865	220V-1P-50/60Hz 380~415V-3P-50Hz 440~480V-3P-60Hz	2Kw	1800×650×850mm	100kg
AHC2065	220V-1P-50/60Hz 380~415V-3P-50Hz 440~480V-3P-60Hz	2Kw	2000×650×850mm	120kg

船用污物粉碎机
Marine Waste Disposer

[产品主要性能特点]

- 全不锈钢结构
- 用于处理厨房、餐厅产生的食品残渣
- 处理物直径小于25mm，便于收集或排放
- 设备符合MARPOL 71/78 Annex V条例要求
- 可选配不锈钢水池

[MAIN FEATURES]

- Stainless steel structure
- The diameter of disposer is less than 25mm,it' s easy to gather and discharge
- The equipment passes the testes specified in MARPOL 71/78 Annex V regulation
- Can optional stainless steel sink



SS300



510系列



AE200连水池

型号 Model	电制 Voltage	处理量 Capacity	功率 Rating	尺寸 Size	重量 Weight
AE100	220V-1P-50/60Hz	100kg/h	0.45Kw	210×320mm	8.5kg
AE200	220V-1P-50/60Hz	150kg/h	0.45Kw	234×344mm	10kg
510	380~415V-3P-50Hz 440~480V-3P-60Hz	300kg/h	0.75Kw	253×485mm	30kg
SS100	380~415V-3P-50Hz 440~480V-3P-60Hz	300kg/h	0.75Kw	248×366mm	15kg
SS300	380~415V-3P-50Hz 440~480V-3P-60Hz	700kg/h	2.25Kw	450×600mm	25kg
JZXFJ-15	380~415V-3P-50Hz 440~480V-3P-60Hz	1~15kg/min	1.5Kw	420×840mm	100kg

船用垃圾打包机
Marine Waste Compactor

[产品主要性能特点]

- 主体材质可选择不锈钢或碳钢
- 采用液压传动，进口密封件
- 采用按钮控制
- 独立式填料口
- 安装和操作简便

[MAIN FEATURES]

- The main body can be made of s/s or carbon steel
- Use hydraulic drive,imported seals
- Push-button control
- Independent type seasoning mouth
- Easy installation and operation



型号 Model	电制 Voltage	功率 Rating	尺寸 Size	重量 Weight
ACH200	220V-1P-50/60Hz	0.75Kw	555×520×1800mm	150kg
ARP200	220V-1P-50/60Hz	2.2Kw	746×653×1970mm	350kg
AJT1	220V-1P-50/60Hz	1.0Kw	500×500×1700mm	250kg
AJT2	220V-1P-50/60Hz	1.5Kw	600×600×1700mm	280kg
B09G01	220V-1P-50/60Hz	0.58Kw	378×546×867mm	72kg

船用超声波清洗机
Marine Ultrasonic Cleaning Machine

[产品主要性能特点]

- 全不锈钢结构
- 功率采用晶闸管控制，精确可控，效率高
- 温度与时间采用数码设定和控制，更加精准、可靠
- 所有工作状态均由微电脑控制，具有记忆功能

[MAIN FEATURES]

- Complete stainless steel execution.
- Power adopts thyristor control, precise control, high efficiency
- Using digital temperature and time setting and control, more precise and reliable
- All working status are controlled by microcomputer, with memory function



型号 Model	电制 Voltage	清洗槽容量 Capacity	功率 Rating	尺寸 Size	重量 Weight
AUC-1012	110V/1P/60Hz 220V~1P~50Hz/60Hz	40L	1.0Kw	530×445×610mm	35kg
AUC-1024	380~415V/3P/50Hz 440~480V/3P/60Hz	90L	3.0Kw	680×545×610mm	55kg
AUC-1036	380~415V/3P/50Hz 440~480V/3P/60Hz	120L	4.0Kw	780×595×610mm	78kg

船用多用机
Marine Universal Cooking Machine

- 不锈钢搅拌桶
- 附标准三种搅拌器
- 搅拌桶上设安全网罩
- 可选择增配绞肉和切菜组件

- Stainless steel mixing barrel
- Fitted with three types of stirrer
- W/safety guard cover on the bowl
- Additional meat grinder and vegetable slicer attachment(optional)


AUM20





型号 Model	电制 Voltage	容量 Capacity	功率 Rating	尺寸 Size	重量 Weight
AUM20	110V-1P-60Hz 220V~1P~50/60Hz	20L	0.75Kw	415×530×780mm	98kg
AUM30	380~415V-3P-50Hz 440~480V-3P-60Hz	30L	1.5Kw	610×530×1020mm	192kg
AUM40	380~415V-3P-50Hz 440~480V-3P-60Hz	40L	1.8Kw	590×580×1230mm	248kg
AUM50	380~415V-3P-50Hz 440~480V-3P-60Hz	50L	2.2Kw	760×580×1230mm	248kg

船用和面机
Marine Dough Mixer Machine

- 不锈钢搅拌桶
- 搅拌桶上设安全网罩
- 多种型号规格，供不同人数选择需求

- Stainless steel mixing barrel
- W/safety guard cover on the bowl
- Various model and specification,capable of satisfying selection requirements with different number of people


ADM20

型号 Model	电制 Voltage	容量 Capacity	功率 Rating	尺寸 Size	重量 Weight
ADM20	110V-1P-60Hz 220V~1P~50/60Hz	20L	1.1Kw	380×690×730mm	70kg
ADM30	380~415V-3P-50Hz 440~480V-3P-60Hz	30L	1.6Kw	430×730×770mm	95kg
ADM40	380~415V-3P-50Hz 440~480V-3P-60Hz	40L	2.2Kw	480×860×850mm	127kg
ADM50	380~415V-3P-50Hz 440~480V-3P-60Hz	50L	2.2Kw	530×920×935mm	130kg

船用压面

Marine Noodles Maker

- 不锈钢整体结构
- 可调节面条粗细
- 多种型号规格，供不同人数选择需求

- Stainless steel integral structure
- The thickness of noodle can be adjusted
- Various model and specification,capable of satisfying selection requirements with different number of people



ANM25

型号 Model	电制 Voltage	压面量 Capacity	功率 Rating	尺寸 Size	重量 Weight
ANM12.5	110V~1P~60Hz 220V~1P~50/60Hz	12~20kg/h	0.75Kw	350×350×980mm	75kg
ANM25	110V~1P~60Hz 220V~1P~50/60Hz	20~25kg/h	1.5Kw	416×360×815mm	80kg
ANM30	110V~1P~60Hz 220V~1P~50/60Hz	25~30kg/h	2Kw	470×360×820mm	90kg

船用土豆去皮机

Marine Potato Peeler

- 不锈钢整体结构
- 高转速防水电机
- 脱皮干净，效率高

- Stainless steel integral structure
- High-speed waterproof motor
- Peeling clean,high efficiency



APP-15

型号 Model	电制 Voltage	容量 Capacity	功率 Rating	尺寸 Size	重量 Weight
APP-8	110V~1P~60Hz 220V~1P~50/60Hz	8kg	0.75Kw	410×550×1100mm	50kg
APP-15	110V~1P~60Hz 220V~1P~50/60Hz	15kg	0.85Kw	520×640×1220mm	60kg

船用绞肉机
Marine Meat Grinder

[产品主要性能特点]

- 不锈钢整体结构
- 不锈钢刀盘
- 备用刀具隐藏于机器底部
- 防水急停安全开关

[MAIN FEATURES]

- Stainless steel integral structure
- Stainless steel cutter
- Spare blade at the bottom of machine
- Waterproof and emergency-stop switch



AMG12A

型号 Model	电制 Voltage	功率 Rating	尺寸 Size	重量 Weight
AMG12A	220V~1P~50/60Hz	0.55Kw	400×190×410mm	27kg
AMG22A	220V~1P~50/60Hz	0.75Kw	400×240×450mm	36kg

船用切片机
Marine Meat Slicer

[产品主要性能特点]

- 优质合金铝机身
- 高强度不锈钢刀片
- 切片厚度0~15mm
- 带安全保护及自动磨刀装置

[MAIN FEATURES]

- High-quality frame manufactured with aluminum alloy
- High hardness stainless steel saw blade
- Thickness of slice(0~15mm)
- Fitted with security protection and automatic knife grinder



AMS250

型号 Model	电制 Voltage	功率 Rating	尺寸 Size	重量 Weight
AMS250	220V~1P~50/60Hz	0.15Kw	580×470×420mm	18kg
AMS300	220V~1P~50/60Hz	0.25Kw	560×560×510mm	25kg

船用锯骨机

Marine Bone Saw

[产品主要性能特点]

- 优质合金铝机身，不锈钢工作台面
- 不锈钢锯条
- 可选配不锈钢座架

[MAIN FEATURES]

- High-quality frame manufactured with aluminum alloy and Stainless steel
- Stainless steel saw blade
- Stainless steel seat frame could be selected for purchase



ABS210A

型号 Model	电制 Voltage	功率 Rating	尺寸 Size	重量 Weight
ABS210A	220V~1P~50/60Hz	0.5Kw	520×490×840mm	45kg
ABS300A	380~415V-3P-50Hz 440~480V-3P-60Hz	1.5Kw	780×710×1690mm	100kg
ABS400A	380~415V-3P-50Hz 440~480V-3P-60Hz	1.5Kw	980×1160×1800mm	175kg

船用切菜机

Marine Vegetable Cutter

[产品主要性能特点]

- 优质合金铝机身
- 高硬度不锈钢刀片
- 可切丝、切丁、切片
- 吸盘式底脚

[MAIN FEATURES]

- High-quality frame manufactured with aluminum alloy
- High hardness stainless-steel blade
- Can shred,dicing,slice
- Sucked type footing



ALC-300

型号 Model	电制 Voltage	功率 Rating	尺寸 Size	重量 Weight
ALC-300	110V-1P-60Hz 220/V-1P-50/60Hz	0.55Kw	540×310×550mm	25kg

船用开水器
Marine Water Boiler

[产品主要性能特点]

- 全不锈钢结构
- 设自动补水防干烧装置
- 带不锈钢安装托架或座架

[MAIN FEATURES]

- Stainless steel structure
- Set up automatic filling water prevent dry heating device
- With a stainless steel installation bracket or mounts



ASQ-66L



AWB10



ASQ30G

类型 Type	型号 Model	电制 Voltage	功率 Rating	尺寸 Size	重量 Weight
圆桶式 Barrel type	AWB10	110V-1P-60Hz 220V~1P~50/60Hz	2Kw	Φ230×390mm	5kg
	AWB20	110V-1P-60Hz 220V~1P~50/60Hz	2Kw	Φ286×460mm	6kg
挂壁式 wall-mountable	ASQ-30G	380~415V-3P-50Hz 440~480V-3P-60Hz	3Kw	400×270×670mm	23kg
	ASQ-45G	380~415V-3P-50Hz 440~480V-3P-60Hz	6Kw	510×370×820mm	30kg
落地式 floor type	ASQ-66L	380~415V-3P-50Hz 440~480V-3P-60Hz	9Kw	580×390×920mm	35kg
	ASQ-95L	380~415V-3P-50Hz 440~480V-3P-60Hz	12Kw	610×410×1200mm	45kg
	ASQ-125L	380~415V-3P-50Hz 440~480V-3P-60Hz	15Kw	670×440×1200mm	80kg

船用不锈钢饮水机

Marine Stainless steel Water Dispenser

[产品主要性能特点]

- 全不锈钢结构
- 设内置式滤水器
- 冰、热可单独或同时使用

[MAIN FEATURES]

- Stainless steel structure
- Cold, heat can be used alone or at the same time
- Set built-in water filter



AVW/C



AVW/CH

型号 Model	电制 Voltage	功率 Rating	尺寸 Size	重量 Weight
AUW/CH	220V-1P-50/60Hz	0.98Kw	380×330×1020mm	30kg
AUW/C	220V-1P-50/60Hz	0.22Kw	380×330×1020mm	28kg

船用果汁机

Marine Juicer

[产品主要性能特点]

- 主体不锈钢结构
- 喷流静流两用，适合各种稀稠饮料，效果优越
- 风机大，散热快

[MAIN FEATURES]

- The main body is made of staintess steel
- Static dual jet stream for a variety of thin thick beverage,showing excellent results
- Big fan, cooling fast



AMJ-2

型号 Model	电制 Voltage	容量 Capacity	功率 Rating	尺寸 Size	重量 Weight
AMJ-1	220V-1P-50/60Hz	18L	0.4Kw	250×400×750mm	22kg
AMJ-2	220V-1P-50/60Hz	18L×2	0.8Kw	500×400×750mm	34kg
AMJ-3	220V-1P-50/60Hz	18L×3	0.88KW	730×400×730mm	42kg

船用咖啡机 / Marine Coffee Machine



AMJ-4

型号 Model	电制 Voltage	产量 Capacity	功率 Rating	尺寸 Size	重量 Weight
AM2	220V-1P-50/60Hz	160cups/h	2.3Kw	205×360×430mm	5kg
AM4	220V-1P-50/60Hz	240cups/h	4.8Kw	410×460×430mm	8kg

船用多士炉 / Marine Brean Toaster



4ATS

型号 Model	电制 Voltage	功率 Rating	尺寸 Size	重量 Weight
4ATS	220V-1P-50/60Hz	2Kw	330×220×235mm	5kg
6ATS	220V-1P-50/60Hz	3Kw	460×220×235mm	6kg

船用电饭煲 / Marine Rice Cooker



ARC10

型号 Model	电制 Voltage	容量 Capacity	功率 Rating	尺寸 Size	重量 Weight
ARC10	220V-1P-50/60Hz	10L	1.6Kw	Φ360×300mm	5kg
ARC19	220V-1P-50/60Hz	19L	2.65Kw	Φ455×350mm	9kg
ARC24	220V-1P-50/60Hz	24L	3.0kw	Φ520×350mm	16kg

船用微波炉 / Marine Microwave Oven



AM023

型号 Model	电制 Voltage	容量 Capacity	功率 Rating	尺寸 Size	重量 Weight
AMO23	220V-1P-50/60Hz	23L	1.3Kw	485×370×290mm	12kg

船用洗碗机
Marine Dish Washer

[产品主要性能特点]

- 全不锈钢结构
- 内部水循环系统，节能环保
- 高低清洗臂摆动自如，喷淋无死角

[MAIN FEATURES]

- Stainless steel structure
- Internal water circulation system is fitted for environment protection
- The upper and lower wash arms swing flexibly, injection without dead corner



AU-1
台下式洗碗机



RE-1
通道式洗碗机

AH-1
提拉式洗碗机

型号 Model	电制 Voltage	容量 Capacity	功率 Rating	尺寸 Size	重量 Weight
AU-1	220V-1P-50/60Hz 380~415V-3P-50Hz 440~480V-3P-60Hz	40racks/h	6.8Kw	600×600×850mm	55kg
AH-1	380~415V-3P-50Hz 440~480V-3P-60Hz	65racks/h	16Kw	696×712×1440mm	120kg
RE-1	380~415V-3P-50Hz 440~480V-3P-60Hz	200racks/h	46Kw	1148×706×1840mm	250kg

船用消毒柜
Marine Sterilized Cabinet

[产品主要性能特点]

- 全不锈钢机身
- 上层臭氧消毒,下层高温消毒
- 双层排气孔，防虫、透气
- 内置高密度控制器，有效控温，温度超限自动断电

[MAIN FEATURES]

- All stainless steel body
- Ozone disinfection of the upper, lower the high temperature disinfection
- Double vent, insect-resistant, breathe freely
- Built-in high density controller, effective temperature control, automatic temperature overrun without electricity



ATP350

餐具消毒柜







GX-181

医用消毒柜

型号 Model	电制 Voltage	容量 Capacity	功率 Rating	尺寸 Size	重量 Weight
ATP128	220V-1P-50/60Hz	128L	1.0Kw	460×380×1220mm	28kg
ATP350	220V-1P-50/60Hz	350L	2.7Kw	720×540×1600mm	58kg
GX-181	220V-1P-50/60Hz	60L	0.35kw	490×450×800mm	13kg

船用工业洗衣机
Marine Industrial Washing Machine

[产品主要性能特点]

- 前开门滚筒式重型洗衣机
- 不锈钢内外滚筒
- 全自动控制
- 欧洲先进技术和生产工艺

[MAIN FEATURES]

- Open the door before the drum heavy washing machine
- Stainless steel cylinder inside and outside
- Full automatic control
- European advanced technology and production technology



RX135



型号 Model	电制 Voltage	容量 Capacity	功率 Rating	尺寸 Size	重量 Weight
SC65	380~415V-3P-50Hz 440~480V-3P-60Hz	6.5kg	3.2Kw	595×585×850mm	75kg
RX80	380~415V-3P-50Hz 440~480V-3P-60Hz	8kg	6Kw	660×785×1115mm	135kg
RX105	380~415V-3P-50Hz 440~480V-3P-60Hz	11kg	9Kw	750×785×1225mm	170kg
RX135	380~415V-3P-50Hz 440~480V-3P-60Hz	14kg	12Kw	750×900×1225mm	190kg
RX180	380~415V-3P-50Hz 440~480V-3P-60Hz	18kg	18Kw	890×915×1410mm	270kg
RX240	380~415V-3P-50Hz 440~480V-3P-60Hz	24kg	18kw	890×1060×1410mm	290kg

船用工业烘干机
Marine Industrial Tumble Dryer

[产品主要性能特点]

- 前开门滚筒式重型烘干机
- 不锈钢内外滚筒
- 全自动控制
- 欧洲先进技术和生产工艺

[MAIN FEATURES]

- Open the door before the drum heavy Tumble Dryer
- Stainless steel cylinder inside and outside
- Full automatic control
- European advanced technology and production technology



T16



DAM6/SC65叠放式

型号 Model	电制 Voltage	容量 Capacity	功率 Rating	尺寸 Size	重量 Weight
DAM6	380~415V-3P-50Hz 440~480V-3P-60Hz	6.5kg	3Kw	595×585×850mm	45kg
T9	380~415V-3P-50Hz 440~480V-3P-60Hz	9kg	9Kw	795×815×1465mm	170kg
T11	380~415V-3P-50Hz 440~480V-3P-60Hz	11kg	13.5Kw	795×1070×1675mm	230kg
T16	380~415V-3P-50Hz 440~480V-3P-60Hz	16kg	24Kw	795×1280×1675mm	250kg
T24	380~415V-3P-50Hz 440~480V-3P-60Hz	24kg	30Kw	965×1270×1975mm	280kg
T35	380~415V-3P-50Hz 440~480V-3P-60Hz	35kg	36kg	965×1490×1975mm	305kg

船用洗衣机
Marine Washing Machine

- 前开门滚筒式洗衣机
- 不锈钢内外滚筒
- 全自动控制

- Open the door before the drum washing machine
- Stainless steel cylinder inside and outside
- Full automatic control



XQG60

型号 Model	电制 Voltage	容量 Capacity	功率 Rating	尺寸 Size	重量 Weight
XQG60	220V-1P-50/60Hz	6kg	2Kw	595×520×850mm	65kg
XQG80	220V-1P-50/60Hz	8kg	2Kw	600×620×850mm	75kg

船用烘干机
Marine Tumble Dryer

- 前开门滚筒式洗衣机
- 不锈钢内外滚筒
- 全自动控制

- Open the door before the drum Tumble Dryer
- Stainless steel cylinder inside and outside
- Full automatic control



ATD60

型号 Model	电制 Voltage	容量 Capacity	功率 Rating	尺寸 Size	重量 Weight
ATD60	220V-1P-50/60Hz	6kg	2.0Kw	595×585×850mm	45kg
ATD70	220V-1P-50/60Hz	7kg	2.2Kw	600×620×850mm	50kg

船用熨烫机

Marine ironing machine

[产品主要性能特点]

- 滚轮式平烫方式
- 电加热系统及安全控制装置
- 欧洲先进技术和生产工艺

[MAIN FEATURES]

- Roller ironing method
- Electric heating system and safety control device
- European advanced technology and production technology



型号 Model	电制 Voltage	滚筒长度 Roller length	功率 Rating	尺寸 Size	重量 Weight
I25-100	380~415V-3P-50Hz 440~480V-3P-60Hz	1000mm	5Kw	1400×420×1005mm	100kg
I25-120	380~415V-3P-50Hz 440~480V-3P-60Hz	1200mm	6Kw	1600×420×1005mm	118kg
I25-140	380~415V-3P-50Hz 440~480V-3P-60Hz	1400mm	7kw	1800×420×1005mm	126kg
I25-160	380~415V-3P-50Hz 440~480V-3P-60Hz	1600mm	13.2kw	2200×500×1100mm	262kg

船用折叠烫衣板 / Marine Fold Ironing Board



型号 Model	尺寸 Size	重量 Weight
IB1000	1000×300mm	12kg

船用蒸汽电熨斗 / Marine Steam Iron



型号 Model	电制 Voltage	功率 Rating	尺寸 Size	重量 Weight
GC2920	220V-1P-50/60Hz	1.85Kw	129×328×163mm	1.5kg

船用电加热器 / Marine Electric Heater



型号 Model	电制 Voltage	功率 Rating	尺寸 Size	重量 Weight
RNP-2	220V-1P-50/60Hz	2Kw	600×90×300mm	6kg

船用厨房不锈钢家具
Marine Stainless Steel Kitchen Furniture

- 整体不锈钢结构
- 船用可调节底脚
- 外观美观，方便清洁
- 可按客户要求定制各种尺寸和形式

- Stainless steel structure
- Marine adjustable legs
- Beautiful appearance, convenient and clean
- Can be customized according to customer's request all kinds of size and form



不锈钢调味品桌
Condiment Tables



不锈钢砧墩板架
Chopping Rack



不锈钢餐具柜
Cupboand



不锈钢单眼洗桌
Washing Table



不锈钢配餐桌
Allocation Table



不锈钢工作台
Working Table



不锈钢集气罩
Hood



不锈钢碗碟架
Dish Rack

电加热板
Hot Plate

形状 Form	电制 Voltage	功率 Rating	尺寸 Size
方形加热板 Square	AC220V/380V/440V	5Kw	600×300mm
	AC220V/380V/440V	5Kw	610×305mm
	AC220V/380V/440V	4kw	300×450mm
	AC220V/380V/440V	4kw	320×320mm
	AC220V/380V/440V	4kw	300×300mm
	AC220V/380V/440V	2.6Kw	230×230mm
圆形平加热板 Round	AC220V/380V/440V	2.6Kw	Φ230mm
	AC220V/380V/440V	4Kw	Φ300mm
	AC220V/380V/440V	4Kw	Φ320mm
	AC220V/380V/440V	5Kw	Φ400mm
圆形凹加热板Concave	AC220V/380V/440V	4.5Kw	Φ320mm
	AC220V/380V/440V	4.5kw	Φ370mm

1、 以上浇铸类电热元件适用于各类船用电灶。The above cast type electric heating element is applicable to all kinds of Marine electric cooker.

2、 可按照用户要求定制 Can be customized according to user requirements





DQ系列加热元件
DQ series heating elements

电制 Voltage	功率 Rating	尺寸 Size L
AC110V/220V/380V/440V	200~1500W	320~1600mm
AC110V/220V/380V/440V	600~2000W	380~1200mm
AC110V/220V/380V/440V	800~2500W	250~600mm
AC110V/220V/380V/440V	250~3000W	400~1600mm

1、以上加热元件适用于适用于干燥箱、烤箱、金属压模及各类空气加热
DQ series heating elements apply to suitable for drying oven, ovens, metal die and various types of air heating.
2、可按照用户要求定制 Can be customized according to user requirements






DS系列加热元件
DS series heating elements

电制 Voltage	功率 Rating	尺寸 Size L
AC110V/220V/380V/440V	600~6000W	400~1000mm

1、 以上加热元件适用于敞开式、封闭式的水箱或水槽加热，加热介质为水、弱酸或弱碱溶液
AS series heating elements apply to open type, closed tank or water tank heating, heating medium for water, weak acid or a weak base solution
2、 可按照用户要求定制 Can be customized according to user requirements






DY系列加热元件

DY series heating elements

电制 Voltage	功率 Rating	尺寸 Size			
		加热油		加热水	
		L	L1	L	L1
AC220V/380V/440V	600W	260mm	180mm	230mm	150mm
AC220V/380V/440V	1000W	300mm	220mm	260mm	180mm
AC220V/380V/440V	1200W	320mm	240mm	300mm	220mm
AC220V/380V/440V	1500W	360mm	280mm	320mm	240mm
AC220V/380V/440V	2000W	430mm	350mm	360mm	280mm
AC220V/380V/440V	3000W	560mm	480mm	430mm	350mm
AC220V/380V/440V	4000W	590mm	510mm	560mm	480mm

1、以上加热元件适用于封闭式的油箱或水箱加热，加热介质为油或水。
DY series heating elements apply to closed tank or water tank heating, heating medium for oil or water.

2、可按照用户要求定制 Can be customized according to user requirements



DR系列加热元件

DR series heating elements

电制 Voltage	功率 Rating	尺寸 Size
		L
AC220V/380V/440V	7KW	480mm
AC220V/380V/440V	8KW	510mm
AC220V/380V/440V	9KW	570mm

1、 以上加热元件适用于各类使用重柴油的柴油发动机进行重柴油预热，加热介质为重柴油。
DR series heating elements apply to all kinds of used heavy diesel fuel of diesel engine for heavy diesel preheating, heavy diesel oil heating medium.

2、 可按照用户要求定制 Can be customized according to user requirements



船用电加热元件
Marine Electrical Heating Elements

温度控制范围 Control range	毛细管 Capillary	端子 Terminal	额定电功率 Electrical rating
31℃～110℃	920mm	2P	16A/250V
30℃～110℃	880mm	6P	240V/16A 380V/10A
50℃～300℃	880mm	6P	240V/16A 380V/10A
100℃～350℃	880mm	6P	240V/16A 380V/10A
100℃～500℃	830mm	2P	16A/250V








档位开关
Switch gear

工作电压 Voltage	触点闭合电阻 Closing resistor	常态绝缘电阻 Insulation resistance	档位数 Gear
230V	10Ω	1000Ω	3
250V	10Ω	1000Ω	7



指示灯
Indicator light

- 供应各种厨房电器设备耐高温、阻燃电源指示灯、工作指示灯。
- 颜色：红、黄、蓝、绿、白
- 电压：6V, 12V, 24V, 110V, 220V, 380V, 440V



- Supply all kinds of kitchen electric equipment, high temperature resistant, flame retardant, work of the indicator light.
- Colors: red, yellow, blue, green and white
- Voltage: 6V, 12V, 24V, 110V, 220V, 380V, 440V





我们必将竭尽所能，满足您的高端需求！

We will do our best to meet your advance demand!

“盎江”怀着感恩的心，以制造优质、高效、节能、创新的新产品为目标，为客户带来更多价值。
“Aangjiang” with a grateful heart produce high quality,efficient and innovative products for our goa, Bring more value for customer.

我们还在前进的路上，我们还有不足之处，感谢您和贵公司一路以来对我们的理解和支持。
We are still on the forward road, We still have more space to improve ourselves. Thanks for your understanding and support.

互利共赢、协同发展是我们一致的目标。
Mutually beneficial cooperation and synergetic development is our consistent goal.

诚信合作·互利共赢

HEART-TO-HEART BUSINESS WIN-WIN COOPERATION