

КАТАЛОГ(МЕДИЦИНСКАЯ МЕБЕЛЬ)



ОООТЛК "СУДОКОМПЛЕКТ"
ПОСТАВЩИК СУДОВОГО ОБОРУДОВАНИЯ

Website: www.mor-sk.ru

тел+7 920 030 05 75

тел. +7 920 010 00 68

тел.+7 920 060 30 80

E-mail: avponkin@yandex.ru

E-mail: tlk.sudokomplekt@yandex.ru

LS920B-1

Head & Foot Board
床头尾板

Packing: 6PCS Head Board 0.17CBM
6PCS Foot Board 0.14CBM
N.W.: 19.4/18.2KGS
G.W.: 21.2/19.8KGS

包装: 6件床头板 0.17立方米
6件床尾板 0.14立方米
净重: 19.4/18.2公斤
毛重: 21.2/19.8公斤



LS920B-2

Head & Foot Board
床头尾板

Packing: 3SETS Head & Foot Board 0.16CBM
N.W.: 17.7KGS
G.W.: 19.4KGS

包装: 3套床头尾板 0.16立方米
净重: 17.7公斤
毛重: 19.4公斤



LS920B-3

Head & Foot Board
床头尾板

Packing: 6PCS Head Board 0.17CBM
6PCS Foot Board 0.14CBM
N.W.: 19.4/18.2KGS
G.W.: 21.2/19.8KGS

包装: 6件床头板 0.17立方米
6件床尾板 0.14立方米
净重: 19.4/18.2公斤
毛重: 21.2/19.8公斤



LS920B-4

Head & Foot Board
床头尾板

Packing: 6 PCS Head Board 0.18CBM
6 PCS Foot Board 0.15CBM
N.W.: 19.2/18.1 KGS
G.W.: 20.7/19.6 KGS

包装: 6件床头板 0.18立方米
6件床尾板 0.15立方米
净重: 19.2/18.1公斤
毛重: 20.7/19.6 公斤



LS920AH

Head & Foot Board
床头尾板

Packing: 6PCS Head Board 0.12CBM
6PCS Foot Board 0.09CBM
N.W.: 19.8/17.5KGS
G.W.: 21.2/18.7KGS

包装: 6件床头板 0.12立方米
6件床尾板 0.09立方米
净重: 19.8/17.5公斤
毛重: 21.2/18.7公斤



LS920AC

Head & Foot Board
床头尾板

Packing: 6PCS Head Board 0.135CBM
6PCS Foot Board 0.115CBM
N.W.: 27.8/22.7KGS
G.W.: 29.3/24.1KGS

包装: 6件床头板 0.135立方米
6件床尾板 0.115立方米
净重: 27.8/22.7公斤
毛重: 29.3/24.1公斤



LS920K

Head & Foot Board
床头尾板

Packing: 3SETS Head & Foot Board 0.12CBM
N.W.: 24.0KGS
G.W.: 25.0KGS

包装: 3套床头尾板 0.12立方米
净重: 24.0公斤
毛重: 25.0公斤



LS920TW

Head & Foot Board
床头尾板

Packing: 3SETS Head & Foot Board 0.14CBM
N.W.: 22.2KGS
G.W.: 23.6KGS

包装: 3套床头尾板 0.14立方米
净重: 22.2公斤
毛重: 23.6公斤



LS900B

Head & Foot Board
床头尾板

Packing: 4PCS Head Board 0.13CBM
4PCS Foot Board 0.12CBM
N.W.: 13.9/13.4KGS
G.W.: 15.5/14.8KGS

包装: 4件床头板 0.13立方米
4件床尾板 0.12立方米
净重: 13.9/13.4公斤
毛重: 15.5/14.8公斤



LS1050B

Head & Foot Board
床头尾板

Packing: 4PCS Head Board 0.15CBM
4PCS Foot Board 0.14CBM
N.W.: 15.4/14.0KGS
G.W.: 17.1/15.5KGS

包装: 4件床头板 0.15立方米
4件床尾板 0.14立方米
净重: 15.4/14.0公斤
毛重: 17.1/15.5公斤



LS900E

Head & Foot Board
床头尾板

Packing: 2SETS Head & Foot Board 0.095CBM
N.W.: 22.3KGS
G.W.: 23.4KGS

包装: 2套床头尾板 0.095立方米
净重: 22.3公斤
毛重: 23.4公斤



LS900G

Head & Foot Board
床头尾板

Packing: 3PCS Head Board 0.135CBM
3PCS Foot Board 0.11CBM
N.W.: 21.7/18.2KGS
G.W.: 23.2/19.6KGS

包装: 3件床头板 0.135立方米
3件床尾板 0.11立方米
净重: 21.7/18.2公斤
毛重: 23.2/19.6公斤



LS900J

Head & Foot Board
床头尾板

Packing: 5PCS Head Board 0.15CBM
5PCS Foot Board 0.13CBM
N.W.: 21.3/22.2KGS
G.W.: 22.7/23.8KGS

包装: 5件床头板 0.15立方米
5件床尾板 0.13立方米
净重: 21.3/22.2公斤
毛重: 22.7/23.8公斤



LS900A

Head & Foot Board
床头尾板

Packing: 5PCS Head Board 0.113CBM
5PCS Foot Board 0.096CBM
N.W.: 25.5/24.75KGS
G.W.: 27.0/26.15KGS

包装: 5件床头板 0.113立方米
5件床尾板 0.096立方米
净重: 25.5/24.75公斤
毛重: 27.0/26.15公斤



LS900S

Head & Foot Board
床头尾板

Packing: 2SETS Head & Foot Board 0.098CBM
N.W.: 11.7KGS
G.W.: 13.7KGS

包装: 2套床头尾板 0.098立方米
净重: 11.7公斤
毛重: 13.7公斤



LS900W

Head & Foot Board
床头尾板

Packing: 2SETS Head & Foot Board 0.088CBM
N.W.: 14.8KGS
G.W.: 16.8KGS

包装: 2套床头尾板 0.088立方米
净重: 14.8公斤
毛重: 16.8公斤



LS920Y

Head & Foot Board
床头尾板

Packing: 4 PCS Head Board 0.184CBM
4 PCS Foot Board 0.153CBM
N.W.: 15.0/11.5 KGS
G.W.: 16.5/13.0 KGS

包装: 4 件床头板 0.184立方米
4 件床尾板 0.153立方米
净重: 15.0/11.5公斤
毛重: 16.5/13.0公斤



LS930B

Head & Foot Board
床头尾板

Packing: 5PCS Head Board 0.15CBM
5PCS Foot Board 0.13CBM
N.W.: 18.2/16.3KGS
G.W.: 19.7/17.7KGS

包装: 5件床头板 0.15立方米
5件床尾板 0.13立方米
净重: 18.2/16.3公斤
毛重: 19.7/17.7公斤



LS950

Head & Foot Board
床头尾板

Packing: 4PCS Head Board 0.145CBM
4PCS Foot Board 0.125CBM
N.W.: 17.6/15.6KGS
G.W.: 19.3/17.0KGS

包装: 4件床头板 0.145立方米
4件床尾板 0.125立方米
净重: 17.6/15.6公斤
毛重: 19.3/17.0公斤



LS1000G

Head & Foot Board
床头尾板

Packing: 3PCS Head Board 0.15CBM
3PCS Foot Board 0.12CBM
N.W.: 22.8/19.3KGS
G.W.: 24.6/21.1KGS

包装: 3件床头板 0.15立方米
3件床尾板 0.12立方米
净重: 22.8/19.3公斤
毛重: 24.6/21.1公斤



Special customized type

Head & Foot Board
床头尾板



Special customized type

Head & Foot Board
床头尾板




Bed Board 床面板

LS-770

Bed Board
床面板


	Dimension 尺寸 (mm)	Packing 包装	N.W 净重 (KGS)	G.W 毛重 (KGS)
A	770×670	20PCS	32.3	34.0
B	770×200	20PCS	36.0	37.5
C	770×370	20PCS		
D	770×570	20PCS	40.8	42.5



LS-830

Bed Board
床面板


	Dimension 尺寸 (mm)	Packing 包装	N.W 净重 (KGS)	G.W 毛重 (KGS)
A	830×710	10PCS	20.5	22.2
B	830×300	10PCS	13.6	15.2
C	830×190	10PCS		
D	830×630	10PCS	19.7	21.2



LS-900

Bed Board
床面板


	Dimension 尺寸 (mm)	Packing 包装	N.W 净重 (KGS)	G.W 毛重 (KGS)
A	900×710	10PCS	20.5	22.2
B	900×300	10PCS	13.6	15.2
C	900×190	10PCS		
D	900×630	10PCS	19.7	21.2



LS-920


Bed Board
床面板

	Dimension 尺寸 (mm)	Packing 包装	N.W 净重 (KGS)	G.W 毛重 (KGS)
A	920×680	10PCS	21.5	23.4
B	920×300	20PCS	19.3	21.1
C	920×680	10PCS	21.5	23.4



LS-900H

Bed Board
床面板




Protective Railing 护栏

LSTW-01

Protective Railing
护栏

Packing: 4PCS 0.087CBM
N.W.: 19KGS
G.W.: 20KGS

包装: 4件 0.087立方米
净重: 19公斤
毛重: 20公斤



LS-8000A

Protective Railing
护栏

Packing: 1pair 0.052CBM
N.W.: 17.1KGS
G.W.: 19.2KGS

包装: 1对 0.052立方米
净重: 17.1公斤
毛重: 19.2公斤




LSKR-001

Protective Railing
护栏

Packing: 1pair 0.016CBM
N.W.: 5.8KGS
G.W.: 6.6KGS

包装: 1对 0.016立方米
净重: 5.8公斤
毛重: 6.6公斤




LSKR-002

Protective Railing
护栏

Packing: 1pair 0.02CBM
N.W.: 6.9KGS
G.W.: 7.7KGS

包装: 1对 0.02立方米
净重: 6.9公斤
毛重: 7.7公斤




LS-1500A

Protective Railing
护栏

Packing: 1pair 0.022CBM
N.W.: 6.4KGS
G.W.: 7.0KGS

包装: 1对 0.022立方米
净重: 6.4公斤
毛重: 7.0公斤



LS-1300A

Protective Railing
护栏

Packing: 1pair 0.019CBM
N.W.: 5.4KGS
G.W.: 5.8KGS

包装: 1对 0.019立方米
净重: 5.4公斤
毛重: 5.8公斤




LS-950A

Protective Railing
护栏

Packing: 1pair 0.016CBM
N.W.: 4.6KGS
G.W.: 4.9KGS

包装: 1对 0.016立方米
净重: 4.6公斤
毛重: 4.9公斤




LS-1500B

Protective Railing
护栏

Packing: 1pair 0.022CBM
N.W.: 6.4KGS
G.W.: 7.0KGS

包装: 1对 0.022立方米
净重: 6.4公斤
毛重: 7.0公斤




LS-1300B

Protective Railing
护栏

Packing: 1pair 0.019CBM
N.W.: 5.4KGS
G.W.: 5.8KGS

包装: 1对 0.019立方米
净重: 5.4公斤
毛重: 5.8公斤



LS-950B

Protective Railing
护栏

Packing: 1pair 0.016CBM
N.W.: 4.6KGS
G.W.: 4.9KGS

包装: 1对 0.016立方米
净重: 4.6公斤
毛重: 4.9公斤

LS-750M

Protective Railing
护栏

Packing: 4PCS 0.087CBM
N.W.: 18.0KGS
G.W.: 19.0KGS

包装: 4件 0.087立方米
净重: 18.0公斤
毛重: 19.0公斤



LS-750N

Protective Railing
护栏

Packing: 4PCS 0.087CBM
N.W.: 18.2KGS
G.W.: 19.2KGS

包装: 4件 0.087立方米
净重: 18.2公斤
毛重: 19.2公斤



LS-750L

Protective Railing
护栏

Packing: 1pair 0.087CBM
N.W.: 10.3KGS
G.W.: 11.5KGS

包装: 1对 0.087立方米
净重: 10.3公斤
毛重: 11.5公斤



LS-750S

Protective Railing
护栏

Packing: 2pairs 0.083CBM
N.W.: 17.2KGS
G.W.: 19.3KGS

包装: 2对 0.083立方米
净重: 17.2公斤
毛重: 19.3公斤



Bedstand
床头柜



LS-500

Bedstand
床头柜

Packing: 1PC 0.20CBM
N.W.: 17.0KGS
G.W.: 18.3KGS

包装: 1件 0.20立方米
净重: 17.0公斤
毛重: 18.3公斤





LS-4901

Bedstand
床头柜

Packing: 1PC 0.185CBM
N.W.: 11.5KGS
G.W.: 12.7KGS

包装: 1件 0.185立方米
净重: 11.5公斤
毛重: 12.7公斤

LS-4902

Bedstand
床头柜

Packing: 1PC 0.185CBM
N.W.: 11.7KGS
G.W.: 12.9KGS

包装: 1件 0.185立方米
净重: 11.7公斤
毛重: 12.9公斤

COLOR

A

B

C

D



LS-4903

Bedstand
床头柜

Packing: 1PC 0.21CBM
N.W.: 12.1KGS
G.W.: 14.1KGS

包装: 1件 0.21立方米
净重: 12.1公斤
毛重: 14.1公斤

LS-4904

Bedstand
床头柜

Packing: 1PC 0.21CBM
N.W.: 12.3KGS
G.W.: 14.3KGS

包装: 1件 0.21立方米
净重: 12.3公斤
毛重: 14.3公斤

COLOR

A

B

C

D

LS-4905

Bedstand
床头柜

Packing: 1PC 0.185CBM
N.W.: 11.6KGS
G.W.: 12.8KGS

包装: 1件 0.185立方米
净重: 11.6公斤
毛重: 12.8公斤

COLOR

A

B

C

D

LS-4906

Bedstand
床头柜

Packing: 1PC 0.185CBM
N.W.: 11.8KGS
G.W.: 12.9KGS

包装: 1件 0.185立方米
净重: 11.8公斤
毛重: 12.9公斤

COLOR

A

B

C

D

LS-460

Bedstand
床头柜

Packing: 1PC 0.16CBM
N.W.: 15.9KGS
G.W.: 17.0KGS

包装: 1件 0.16立方米
净重: 15.9公斤
毛重: 17.0公斤

LS-470

Bedstand
床头柜

Packing: 1PCS 0.17CBM
N.W.: 14.3KGS
G.W.: 15.5KGS

包装: 1件 0.17立方米
净重: 14.3公斤
毛重: 15.5公斤



LS-850E

Emergency Trolley

急救车

- 1 Material: Aluminum-Alloy, ABS plastic and stainless steel
 - 2 Overall size:850mm × 520mm × 1010mm
 - 3 The whole trolley is including 5 layers of drawers, 2 small size(70mm in height), 2 medium size(140mm in height), and 1 large size(210mm in height). Drawer mainly consists of bottom panel board, frame and plastic medicine tray (size adjustable)
 - 4 Other components: 2 pcs of garbage bins, 1 pc of transparent file box, 1 pc of sliding side board, 1 pc of metal salver and 1 pc of I.V.Pole.
- Weight: 62KGS

- 1 材质组成: 铝合金, ABS, 不锈钢材料
 - 2 规格: 850mm × 520mm × 1010mm
 - 3 车体内有5个抽屉, 两只小抽屉 (屉高70mm), 两只中抽屉 (屉高140mm), 一只大抽屉 (屉高210mm). 抽屉主要由抽屉面板, 框架, 活动塑料分隔板组成。
 - 4 标准附件: 2个垃圾桶, 1个透明文件盒, 1块活动抽板, 1个金属托盘及1根盐水瓶架。
- 重量: 62公斤

LS-850Eb

Emergency Trolley

急救车

- 1 Material: Aluminium-Alloy,ABS plastic and stainless steel.
 - 2 Overall size:850mm × 520 mm × 1010mm
 - 3 Newly matched with CPR board, Oxygen Cylinder holder, Power device,Needle disposal bottle.
 - 4 Components:5 Layers of drawer, stainless top plate,2 pcs garbage bins,1pc transparent file box,1pc sliding side board ,1pc metal salver ,1 pc I.V.Pole.
- Packing: 910mm × 650mm × 1160mm
- Weight:72KGS

- 1 材质组成: 铝合金, ABS, 不锈钢材料
 - 2 规格: 850mm × 520 mm × 1010mm
 - 3 增设了CPR板, 氧气瓶挂钩和电用设备, 针头处理器。
 - 4 标准附件: 5个抽屉, 不锈钢台面, 2个垃圾桶, 1个透明文件夹, 一块活动抽板, 一个金属托盘, 一根盐水瓶架。
- 包装: 910mm × 650mm × 1160mm
- 重量: 72公斤



LS-850M

Medicine Trolley

发药车

- 1 Material: Aluminum-Alloy, ABS plastic and stainless steel
 - 2 Overall size:850mm × 520mm × 1010mm
 - 3 The whole trolley is including 6 layers of drawers, can be pulled out from both sides,self-locked when closed. Totally 50 medicine boxes on all drawers,on front of each medicine box, case-history card stuck.
 - 4 Other components: 2 pcs of garbage bins, 1 pc of transparent file box, 1 pc of sliding side board, and 1 set of five-hooks hanging device.
- Weight: 81KGS

- 1 材质组成: 铝合金, ABS, 不锈钢材料
 - 2 规格: 850mm × 520mm × 1010mm
 - 3 车体内有6个抽屉, 皆可双面抽出, 关时抽屉可自锁。总共包含了50个药盒, 每个药盒前都附有病例卡。
 - 4 标准附件: 2个小垃圾桶, 1个透明文件盒, 1块活动抽板, 1套5挂钩盐水瓶架。
- 重量: 81公斤

Trolley
推车




LS-700A

42 Cases History Trolley
42格病历车

- 1 The trolley consists of 42 pcs of case-history folder and 1 big drawer, all can be locked to help to keep the patient's history data inside safe. 4 pcs of 125mm castors, two with brake, and two without.
- Weight: 65KGS.

- 1 病例车包含42格病例夹及一个大抽屉，配有中控锁以确保所藏资料安全。4个直径125mm脚轮，两个带锁，两个不带。

■ 重量：65公斤



LS-700C


Medicine Trolley
发药车

- 1 The trolley consists of 6 layers of small drawers and 3 layers of big drawers, supplying various medicine boxes for different storage use. 4 pcs of 125mm castors, two with brake, and two without.
 - 2 Standard accessories: 1 pc of garbage bin
- Weight: 77KGS.

- 1 发药车包含6个小抽屉和3个大抽屉，多数量的药盒供不同的储存需要。4个直径125mm脚轮，两个带锁，两个不带。

- 2 配有1个垃圾桶。

■ 重量：77公斤



LS-700D

Cure Trolley
治疗车

- 1 2 layers of big drug trays, you can put kinds of drugs or medical tools there; one big size drawer and two slide boards can be easily pull out and in;
 - 2 1 I.V.Pole with 8 hooks, providing functional use of bottle and goods hanging;
 - 3 4 white aluminum castors, 2 with brake, 2 without; the stainless-steel handrail makes the convenient movement of the trolley possible.
 - 4 Bright and clean color, makes the trolley looking very beautiful
- Oversize: 850mm × 650mm × 1100mm
■ weight: 33KGS

- 1 2个宽大药盒上下放置，可用于装各种治疗药物或医用工具。一个大抽屉与两个拉板可灵活抽出使用
 - 2 1套带8挂钩盐水架，挂钩错开放置，可同时挂多瓶药水，侧边两个挂钩可挂塑料袋等
 - 3 4个铝壳白色脚轮，2个有刹，两个无刹；一个不锈钢拉手可方便您推动车体
 - 4 整体蓝白两色搭配，自然而干净
- 规格：850mm × 650mm × 1100mm
■ 重量：33公斤



LS-800A


Medicine Trolley
发药车

- 1 The trolley consists of 6 layers, existing 5 cases of medicine boxes on both sides of each layer, totally 60 cases of the medicine boxes. At the bottom, there is a big waste-storage bin. Central-lock braking system, wheel diameter:125mm.
 - 2 Marble surface, so bright and easy to clean.
- Weight: 75KGS

- 1 此款发药车总共有6层，每层两边都有5个药盒，总共60个药盒。底部一个宽口污物处理箱，可方便废弃物的处理。中控脚轮，直径125mm

- 2 大理石台面，干净而易清洁。

■ 重量：75公斤





LS-MT01
Moveable Table
移动餐桌



LS-MT02
Moveable Table
移动餐桌



LS900-C2
Trolley 手推车



LS900-C1
Trolley 手推车



LS900-A1
Trolley 手推车



LS900-B1
Trolley 手推车

Others 其他



LSB-1 Chassis
底盘



LSB-2 Chassis
底盘



LSB-3 Assembly Parts For I.V.Pole
盐水架配件



LSB-4 Protective Bumpers
床防撞



LSB-5 Flex Table Board
伸缩餐拉板



LSC-5 Arc Table Board
弧形餐拉板



LSB-6 Ornamental Parts For Head Board
床头板装饰块



LSB-7 Table Board Joint
餐桌接头



LSB-8 Assembly Parts For Crank
摇手配件



LSB-9 Decorative Strips
装饰条



LSB-10 Table Board
全塑餐桌板



LSB-11 I.V.Pole
盐水架



LSB-13 Baby Basin
婴儿盆



LSB-12 Crank
摇杆



LSB-14 | Case-history folder
病历夹



LSB-15 | Decorative strips
床沿装饰条



LSB-16 | Corner bumpers
防撞轮



LSB-17 | Connectors
连接件



LSB-21 | Mattress for optional
备选床垫



LSB-22 | Mattress for optional
备选床垫



LS-S83 | Soft Connection
软连接



LS-S90 | Soft Connection
软连接



LSB-19 | Monkey Pole
猴子拉杆




LSB-20 | Moveable I.V. Stands
移动盐水架



LSB-18 | Assembly parts for Dental Units
牙科盘三件套



LS400 | Surface For Cabinet
柜面



LS-TS01 | Spine Board
担架



Transfer Stretcher

抢救车




LS-1C

Connecting Transfer
Stretcher For Operation Room
手术对接车

- 1 It is a manual connecting Transfer Stretcher, can be used to defend cross-infection;
- 2 Cart A inside the operation room, Cart B outside, adjusting them to the same height, then push Cart B to Cart A, two carts will be connected, following the orbit, bedboard C can be pushed from one cart to another, and VICE VERSA;
- 3 Bright arrow symbols direct the users how to operate clearly;
- 4 Hi-Low range: 920mm-645mm;
- 5 Standard accessories: mattress, I.V.pole;
- Weight: 145KGS

- 1 手摇对接车，可用于预防病区交叉感染；
- 2 车体A在手术室内，车体B在手术室外，当调节它们到同一高度时，把B推向A，两车对接，然后可沿着轨道将床体C从一车移至另一车。反之亦然；
- 3 有明确的箭头标记指示使用者进行操作；
- 4 高-低范围：920mm-645mm；
- 5 标准附件：床垫，盐水架；
- 重量：145公斤




LS-2C

Connecting Transfer
Stretcher For Operation Room
手术对接车

- 1 It is a manual connecting transfer stretcher, can be used to defend cross-infection;
- 2 Cart A inside the operation room, Cart B outside, adjusting them to the same height, then push Cart B to Cart A, two carts will be connected, following the orbit, bedboard C can be pushed from one cart to another, and VICE VERSA;
- 3 Rotate the crank handle on bedboard C, patient on the mattress can be moved parallelly to another bed or flat table;
- 4 Hi-Low range: 920mm-645mm;
- Weight: 157KGS

- 1 手摇对接车，可用于预防病区交叉感染；
- 2 车体A在手术室内，车体B在手术室外，当调节它们到同一高度时，把B推向A，两车对接，然后可沿着轨道将床体C从一车移至另一车。反之亦然；
- 3 摇动床体C的摇杆，躺在上面的病人可平行移至另外一张床或手术台上；
- 4 高-低范围：920mm-645mm；
- 重量：157公斤




LS-3C


Manual Transfer Stretcher
手摇抢救车



- 1 It is a type of manual transfer stretcher. Turn by deasil,the stretcher will be up, and turn by widdershins, the stretcher will be down;
 - 2 Bright arrow symbols direct the users how to operate clearly.
 - 3 Central-lock castors, diameter 150mm.Matched with direction castor under the chassis,which help users easy control the stretcher direction
 - 4 Hi-Low range:860mm-570mm.
 - 5 Standard accessories: mattress,I.V. Pole.
- Packing: 0.98 CBM/PC.
- Weight: 79KGS.



- 1 手摇抢救车，摇手顺时针方向摇时，车体向上，逆时针方向摇时，车体向下；
 - 2 有明确的箭头标记指示使用者进行操作；
 - 3 中控轮，直径150mm，配有中央导向轮，方便使用者控制车体行进方向；
 - 4 高—低：860—570mm
 - 5 标准附件：床垫，盐水架
- 包装：1件0.98个立方
- 重量：79公斤




LS-4C

HydraulicTransfer Stretcher
双液压系统抢救车



- 1 It is a type of hydraulic transfer stretcher. Five functions available by pressing the foot-pedals;
 - 2 Bright arrow symbols direct the users how to operate clearly;
 - 3 Central-lock castors, diameter 150mm. Matched with direction castor under the chassis,which help users easy control the stretcher direction;
 - 4 Hi-Low range:825mm-580mm.
 - 5 Standard accessories: mattress,I.V. Pole.
- Packing: 1.1CBM/PC.
- Weight:82KGS.



- 1 液压抢救车，五大功能可通过踩踏脚踏而实现；
 - 2 有明确的箭头标记指示使用者进行操作；
 - 3 中控轮，直径150mm，配有中央导向轮，方便使用者控制车体行进方向；
 - 4 高—低范围：825mm-580mm
 - 5 标准附件：床垫，盐水架
- 包装：1件1.1个立方
- 重量：82公斤




LS-5C

Hydraulic Transfer Stretcher
单液压系统抢救车



- 1 It is a type of single hydraulic transfer stretcher. By pressing the up/down pedal, the stretcher goes up or down, adjusting the backrest angle by gas-spring system.
- 2 Round bumpers at four corners of the stretcher, avoid to be damaged in case of knocking the wall.
- 3 Hi-Low range: 845mm-435mm.
- 4 Standard accessories: mattress, I.V. Pole.
- Packing: 0.98CBM/PC.
- Weight: 85KGS.

- 1 单液压抢救车，踩踏UP/DOWN脚踏，车体可上升或下降；背部由气弹簧调节；
- 2 四周边配有防撞轮，防止撞上墙壁而受损；
- 3 高—低范围：845—435mm
- 4 标准附件：床垫，盐水架
- 包装：1件0.98个立方
- 重量：85公斤



LS-6C

Transfer Stretcher
手摇转移车



- 1 It is a type of manual transfer stretcher. Turn by deasil, the stretcher will be up, and turn by widdershins, the stretcher will be down;
- 2 Aluminum-Alloy protective rails, can be folded and hidden under the surface on no use;
- 3 Central-lock castors, diameter 150mm. Matched with direction castor, help the operator controlling the direction easily;
- 4 Rotate the crank handle on bedboard, patient on the mattress can be moved parallelly to another bed or flat table;
- 5 Hi-Low range: 920mm-610mm;
- Packing: 0.98CBM/PC;
- Weight: 89KGS.

- 1 手摇转移车，摇手顺时针方向摇时，车体向上，逆时针方向摇时，车体向下；
- 2 铝合金护栏，不用时折叠后可置于床面板下；
- 3 中控轮，直径150mm，配有中央导向轮，可帮助使用者控制行进方向；
- 4 摇动床体的摇杆，躺在上面的病人可平行移至另外一张床或手术台上；
- 5 高—低范围：920—610mm
- 包装：1件0.98个立方
- 重量：89公斤




LS-7C


Electric Transfer Stretcher
电动抢救车



- 1 It is a type of electric transfer stretcher, functions activated by electric power and gas spring and cranks system together, storage battery available;
- 2 At the head-end, there is a pair of push-handles, can be folded up and down;
- 3 Central-lock castors, diameter 150mm. Matched with direction castor, help the operator controlling the direction easily;
- 4 Hi-Low range: 780mm-540mm;
- Packing: 1.12CBM/PC;
- Weight: 90KGS.



- 1 电动抢救车，通过操作电控系统，手摇系统及气弹簧而达到不同功能；
- 2 两头的推动柱帮助操作者轻松推行车体；
- 3 中控轮，直径150mm，配有中央导向轮，可帮助使用者控制行进方向；
- 4 高—低范围：780mm—540mm
- 包装：1件1.12个立方
- 重量：90公斤



LS-8C

Manual Transfer Stretcher
手摇抢救车



- 1 It is a type of manual transfer stretcher. Turn by deasil, the stretcher will be up, and turn by widdershins, the stretcher will be down;
- 2 Unique bedboard part able to be lifted up and moved away in emergency condition, stainless steel protective rail;
- 3 Central-lock castors, diameter 150mm;
- 4 Hi-Low range: 845mm-595mm;
- 5 Standard accessories: I.V. Pole;
- Packing: 1CBM/PC.
- Weight: 80KGS.

- 1 手摇抢救车，摇手顺时针方向摇时，车体向上，逆时针方向摇时，车体向下；
- 2 担架式床面板，不锈钢护栏；
- 3 中控轮，直径150mm
- 4 高—低范围：845—595mm
- 5 标准附件：盐水架
- 包装：1件1个立方
- 重量：80公斤



Nursing Bed

护理床



LS-EA5008A

Electric Bed 电动床



- 1 Specification**
Overall size:2310mm(L) x 1190mm(W) x 510mm--700mm
Newly design of decent PP plastic head&foot board, rails.With easily operated membrane switch.
4 PCS 150mm Central-control system castors.
- 2 Function**
Five functions.
This bed adopt luxurious membrane switch ,easily operated and pressed comfortably. With the "reset" button to make the bed be flat from any position soon . Also,a lock button with indicator light to show work status .
- 3 Hi--Low: 700mm-510mm**
Back-rest lifting angle:0-65°
Knee-rest lifting angle:0-45°
Trendelenburg & Rev.Trendelenburg angle:0-10°
- 4 Loading Capacity: 250KGS**
- 5 Standard Accessory: I.V. Pole**
- Packing:2080mm x 1060mm x610mm**

- 1 床体尺寸: 2310mm(L) x 1190mm(W) x 510mm--700mm**
新颖大方的床头尾板设计, 护栏配有易操作的薄膜开关
4个直径为150mm的中控轮
- 2 五功能电动床。**
该床采用舒适的薄膜开关, 极易操作。其中的复位键可使床在任何位置状态快速放平。采用加锁系统并伴有指示灯, 显示功能的执行状态。
- 3 高--低: 700mm-510mm**
背部角度: 0-65°
膝部角度: 0-45°
倾斜角度: 0-10°
- 4 承重能力: 250公斤**
- 5 标准配件: 盐水架**
- 包装: 2080mm x 1060mm x610mm**



LS-EA5008B

Electric Bed 电动床



- 1** Specification
Overall size:2310mm(L) x 1190mm(W) x 510mm--700mm
Luxurious 10.2" operated LCD
Weight Scale with accurate measurement system
Newly design of decent PP plastic head&foot board, rails.With easily operated membrane switch.
4 PCS 150mm Central-control system castors.
- 2** Function & weight scale
Six functions.
Easily operated by high definition 10.2" LCD , all lifting angle ,weight data showed clearly .
With a "reset" button to make the bed be flat from any position soon . Also,a lock button with indicator light to show work state .
- 3** Hi--Low: 700mm-510mm
Back-rest lifting angle:0-65°
Knee-rest lifting angle:0-45°
Trendelenburg & Rev.Trendelenburg angle:0-10°
- 4** Loading Capacity: 250KGS
- 5** Standard Accessory: I.V. Pole
- 6** Packing:2080mm x 1060mm x 610mm

- 1** 床体尺寸: 2310mm(L) x 1190mm(W) x 510mm---700mm
豪华的10.2英寸液晶显示屏
拥有精确测量系统的称重器
新颖大方的床头尾板设计, 护栏配有易操作的薄膜开关
- 2** 功能和称重器
六功能电动床。
易操作的10.2英寸高清液晶显示屏, 所有的升降角度, 重量可被清楚地显示。
其中的复位键可使床在任何位置状态快速放平。采用加锁系统并伴有指示灯, 显示功能的执行状态。
- 3** 高--低: 700mm---510mm
背部角度: 0-65°
膝部角度: 0-45°
倾斜角度: 0-10°
- 4** 承重能力: 250公斤
- 5** 标准配件: 盐水架
- 6** 包装: 2080mm x 1060mm x610mm



LS-EA5008C

Electric Bed 电动床



- 1

Specification

Overall size:2240mm(L) x 1180mm(W) x 510mm--700mm.
1 PC 10.2" operated LCD inside Foot board.
2 PCS 3.5" LCD controller and comfortable membrane switch inside rails.
Weight Scale with accurate measurement system.
4 PCS 150mm Central-control system castors.
- 2

Function & weight scale

Six functions.
Easily operated by high definition 10.2" LCD , all lifting angle ,weight data showed clearly .
With the “reset” button to make the bed be flat from any position soon . Also,a lock button with indicator light to show work state .
- 3

Hi--Low: 700mm-510mm

Back-rest lifting angle:0-65°
Knee-rest lifting angle:0-45°
Trendelenburg & Rev.Trendelenburg angle:0-10°
- 4

Loading Capacity: 250KGS
- 5

Standard Accessory: I.V. Pole
- Packing:2080mm x 1060mm x610mm

- 1

床体尺寸：2240mm(L) x 1180mm(W) x 510mm--700mm。
1个10.2英寸的液晶显示屏配于床尾板
2个3.5英寸的液晶显示屏和2片薄膜开关配于护栏
拥有精确测量系统的称重器
4个直径为150mm的中控轮
- 2

功能和称重器

六功能电动床。
易操作的10.2英寸高清液晶显示屏，所有的升降角度，重量可被清楚地显示。
其中的复位键可使床在任何位置状态快速放平。采用加锁系统并伴有指示灯，显示功能的执行状态。
- 3

高--低：700mm--510mm
背部角度：0-65°
膝部角度：0-45°
倾斜角度：0-10°
- 4

承重能力：250公斤
- 5

标准配件：盐水架
- 包装：2080mm x 1060mm x610mm



LS-EA5006

Electric Bed 电动床



- 1 This type of Electric bed is designed ergonomically, 4 parts separated, getting more comfortable after modulating the positions of the bed. With the hand-held control, the patient just press the buttons on the control box, all the function is then achieved. At the foot-end of the bed, there is one control box with locking system.Storage battery is available.
- 2 Steel structure,with dimension 2100mm(L)×910mm(W)
- 3 Totally central-brake system at two sides of foot-end, wheel diameter: 150mm
- 4 Complete with adjustable I.V. pole , removable .
- 5 Detachable Head/ Foot board, different color for choice.
- 6 Rotating bumpers at four corners.

- 1 LS-EA5006 电动床设计新颖，4片式网格床面板，4个电机，可随意调节床的角度到最舒适的位置。床头配有手控器供病人使用，床尾也有一个控制器，并配有中控锁系统。
- 2 整床钢结构，床体尺寸：2100mm(L)×910mm(W)；
- 3 中控轮系统，脚轮直径150mm；
- 4 标准附件：伸缩式盐水架；
- 5 可拆卸式床头尾板，可提供不同颜色选择；
- 6 床的四角都有防撞轮。



LS-EA5003B

Electric Bed 电动床



- 1 Specification**
Overall size:2170mm(L) x 950mm(W) x 480mm--680mm
Decent PP plastic head&foot board, rails.With easily operated membrane switch.
4 PCS 150mm Central-control system castors.
- 2 Function**
Five functions.
This bed adopt luxurious membrane switch ,easily operated and pressed comfortably. With the "reset" button to make the bed be flat from any position soon . Also,a lock button with indicator light to show work state .
- 3 Hi--Low : 680mm-480mm**
Back-rest lifting angle:0-65°
Knee-rest lifting angle:0-45°
Trendelenburg & Rev.Trendelenburg angle:0-10°
- 4 Loading Capacity: 250KGS**
- 5 Standard Accessory: I.V. Pole**
Packing:2080mm x 1060mm x 610mm

- 1 床体尺寸: 2170mm(L) x 950mm(W) x 480mm--680mm**
PP床头尾板, 护栏配有易操作的薄膜开关
4个直径为150mm的中控轮
- 2 五功能电动床。**
该床采用舒适的薄膜开关, 极易操作。其中的复位键可使床在任何位置状态快速放平。采用加锁系统并伴有指示灯, 显示功能的执行状态。
- 3 高--低: 680mm--480mm**
背部角度: 0-65°
膝部角度: 0-45°
倾斜角度: 0-10°
- 4 承重能力: 250公斤**
- 5 标准配件: 盐水架**
包装: 2080mm x 1060mm x610mm






LS-EA5003

Electric Bed 电动床



- 1 Steel structure
- 2 Bedboard dimension:1940mm × 900mm
- 3 Five functions, activated by 4 motors.
- 4 PE material Head/Foot board, detachable and easy-clean
- 5 Equipped with control panel and storage-battery.
- 6 Complete with 4 pcs of foldable side-rails , adjustable I.V. pole , removable .
- 7 Totally-foot control brake system , wheel diameter: 15cm;
- Weight: 143KGS



- 1 整床钢结构
- 2 床面尺寸:1940mm × 900mm
- 3 五大功能, 含有4个电机
- 4 PE材料床头尾板, 易拆卸跟清洗
- 5 配有手控器, 带蓄电池
- 6 4片式可折叠护栏, 每床附带1根盐水架
- 7 中控轮, 脚轮直径15cm
- 重量: 143公斤



LS-EA5002

Electric Bed 电动床



- 1 A type of three functions electric bed,backrest / leg part / Hi-low adjustable. Two control systems, one existed on the front side rails, just press the buttons thereon, positions changing achieved; the other control is at foot-end, matching with advanced locking system.
- 2 Equipped with central-lock braking system , stable and reliable; wheel diameter: 150mm.
- 3 The height adjustable from 520mm to 820mm
- 4 Backrest maximum angle : 65° , leg section maximum angle : 45° , any position within the angle range can be locked,battery-storage back-up.
- 5 Equipped with 4pcs of foldable side-rails.
- 6 Head / foot board easily detachable and tidy-up, complete with I.V. Pole.
- Weight: 152KGS



- 1 此款为三功能床,背部,腿部,高低均可调节。设有两个控制系统,一个在床头护栏上,轻轻按一下上面的按钮,就可调到舒适的位置;另外一个在床尾,并配有中控锁装置,可防止意外。
- 2 中控脚轮系统,稳定而可靠,脚轮直径:150mm;
- 3 高度调节范围:520mm-820mm;
- 4 背部可调节度:0-60°,腿部可调节度:0-45°,角度范围内任意位置均可锁牢;
- 5 4片隐藏式护栏;
- 6 易拆卸式床头尾板,便于清洁。每床附带1根盐水架;
- 重量:152公斤



LS-EA3005

Electric Bed 电动床



- 1 Three functions
- 2 LS900J head/foot board
- 3 LS-1500A or LS-1500B side rails for choice
- 4 ABS hollow bed board with soft connection
- 5 Central-control braking system, wheel diameter:150mm
- 6 Standard accessories: I.V.Pole
- Weight:150KGS

- 1 三功能床
- 2 LS900J床头尾板
- 3 LS-1500A或LS-1500B护栏可任选
- 4 ABS中空床面板带软连接
- 5 中控刹车系统，脚轮直径：150mm
- 6 标准附件：盐水架
- 重量：150公斤


LS-EA5013

Electric Bed 电动床



- 1 Specification
Overall size:2160mm(L) x 900mm(W) x 450mm--700mm
Detachable PP plastic head&foot board, powder coated steel bed board with ventilated holes.
4 PCS 150mm Central-control system castors.
- 2 Function
Three functions, three motors.
Hi--Low: 700mm--450mm
Back-rest lifting angle:0-65°
Knee-rest lifting angle:0-45°
- 3 Loading Capacity: 250KGS
- 4 Standard Accessory: I.V. Pole
- Packing: 2270mm x 970mm x 495mm

- 1 床体尺寸：2160mm(L)x900mm(W)x450mm—700mm
易拆卸床头尾板，喷塑铁面板分布多个数控冲孔，便于通风，4个直径为150mm的中控轮
- 2 三功能电动床。
高—低：700mm—450mm
背部角度：0—65°
膝部角度：0—45°
- 3 承重能力：250公斤
- 4 标准配件：盐水架
- 包装：2270mm x 970mm x 495mm



LS-8000

Electric Bed 电动床



- 1 This is a type of super-low electric bed, height adjustable: 750mm-240mm;
- 2 Backrest angle range: 0-80° ;
- 3 Unique side rails can be fixed on three positions: low-middle-high;
- 4 Central-lock braking system, wheel diameter: 125mm(standard);
- 5 Detachable head / foot board, easy to clean;
- Weight: 87KGS

- 1 这是一款超低床，高度可调范围：750mm-240mm；
- 2 背部角度范围：0-80° ；
- 3 独特的护栏装置，三档固定位置：最低-中间-最高；
- 4 中控刹车系统，脚轮直径：125mm；
- 5 拆卸式床头尾板，易于清洁；
- 重量：87公斤




LS-4000

Hydraulic Nursing Bed, 2 cranks 2摇液压护理床



- 1 This is a five-function manual and hydraulic bed.Turn the right crank, the backrest will be up and down, turn the left crank, the knee part will be up and down. By pressing the UP / DOWN pedals, bed height is adjustable. Trendelenburge & Reverse-trendelenburge function are also available.
- 2 Detachable head / foot board, round bumpers at four corners of the bed;
- 3 Hi-Low range: 830mm-430mm;
- 4 Central-lock braking system, wheel diameter: 125mm;
- Weight: 117KGS

- 1 此床为五功能的手摇液压结合床。右边的摇手控制背部的升降，左边的摇手控制腿部的升降，踩压底盘上的高低脚踏，则调整整床的高度。倾斜/反倾斜功能也可实现；
- 2 拆卸式床头尾板，床的四角配有圆形防撞；
- 3 高低范围：830mm-430mm；
- 4 中控刹车系统，脚轮直径：125mm；
- 重量：117公斤



LS-MA4003

4 Crank Manual Bed 四摇床



- 1 Steel structure
- 2 Bedboard dimension:1940mm × 900mm
- 3 Five functions, activated by cranks.
- 4 PE material Head / Foot board, detachable and easy-clean
- 5 Complete with 4 pcs of foldable side-rails, adjustable I.V. pole, removable.
- 6 Totally-foot control brake system, wheel diameter:15cm;
- Weight: 117KGS

- 1 整床钢结构
- 2 床面尺寸: 1940mm × 900mm
- 3 五大功能, 通过操作摇杆来实现位置的改变
- 4 PE材料床头尾板, 易拆卸跟清洗
- 5 4片式可折叠护栏, 每床附带1根盐水架
- 6 中控轮, 脚轮直径15cm
- 重量: 117公斤




LS-MA3050

Orthopedics traction Bed 骨科床



- 1 LS920B-2 or LS920TW ABS Head / Foot board for choice
- 2 LS-1500A or LS-1500B protective rails for choice
- 3 Plastic and steel bed board mixed use
- 4 6227-125mm diameter castor(2PCS), 6228-125mm diameter castor(2PCS)
- 5 Stainless steel frame, easy to move and clean
- 6 Left and right leg part position can be raised up by cranks, convenient for treatment and use
- 7 Standars Accessories:I.V.Pole
- Weight: 125KGS

- 1 LS920B-2或LS920TW 床头尾板可选;
- 2 LS-1500A 或LS-1500B铝合金护栏可选;
- 3 背板为塑料床面板, 腰部及腿部为数控冲压喷漆床面板
- 4 6227, 6228款125mm直径轮子, 两个带刹车, 两个不带刹车
- 5 不锈钢骨科康复架易转移和清洗
- 6 两腿部位分开并可调节方便治疗和使用
- 7 标准附件: 盐水架
- 重量: 125公斤



LS-MA3009

3 Crank Manual Bed 三摇床



- 1 LS-1500B or LS-1500A Aluminum Alloy Protective Railing For Choice
- 2 LS 950 or LS920B-2 Head & Foot Board For Choice
- 3 LS-830 Bed Board
- 4 6227-125 Castors(2PCS)
6228-125 Castors(2PCS)
- Weight: 75KGS

- 1 LS-1500B或LS-1500A铝合金护栏供选择
- 2 LS950或LS920B-2床头尾板供选择
- 3 LS-830床面板
- 4 6227, 6228款125mm直径轮子, 两个带刹车, 两个不带刹车
- 重量: 75公斤



LS-MA2010

2 Crank Manual Bed 双摇床



- 1 LS-1500A or LS-1500B Aluminum Alloy Protective Railing For Choice
- 2 LS920B-2 or LS950 Head & Foot Board For Choice
- 3 LS-830 Bed Board
- 4 6227-125 Castors(2PCS)
6228-125 Castors(2PCS)
- Weight: 70KGS

- 1 LS-1500A或LS-1500B 铝合金护栏供选择
- 2 LS920B-2或LS950床头尾板供选择
- 3 LS-830床面板
- 4 6227, 6228款125mm直径轮子, 两个带刹车, 两个不带刹车
- 重量: 70公斤



LS-MA1018

Single Crank Manual Bed 单摇床



- 1 LS900B PE Head & Foot Board
- 2 LS750L protective rails(2PCS)
- 3 LS750S protective rails(2PCS)
- 4 4 pcs 6222-150mm diameter castor, central-lock brake system
- 5 Standard Accessories: I.V. pole
- Weight: 90KGS

- 1 LS900B PE床头尾板
- 2 2片式LS750L长护栏
- 3 2片式LS750S短护栏
- 4 4个6222款150毫米直径的中控轮
- 5 标准附件：盐水架
- 重量：90公斤



LS-MA1001

Height-fixed Bed 固定床



- 1 LS900W ABS Head/Foot board
- 2 Height fixed, Backrest adjustable angle: 0~45°
- 3 Four wheels, two with brake, two without, diameter:125mm
- 4 Dimension: 2200mm(L) × 900mm(W) × 460mm(H)
- 5 Standard accessories: I.V.Pole

- 1 LS900W床头尾板
- 2 高度固定，背部可调节角度：0~45°
- 3 四个125直径脚轮，两个带刹，两个不带
- 4 尺寸：2200mm(L) × 900mm(W) × 460mm(H)
- 5 标准附件：盐水架





Baby cart

婴儿车

Baby cart



LS-1YC Baby cart 婴儿车

- The height can be adjusted by gas spring, easy for mother and the baby to communicate;
- Aluminun Column, transparent and hi-intensity baby basin, make the appearance of the whole cart to be beautiful, decent and practical;
- Trendelenburg / Anti-Trendelenburg function available;
- Hi-Low: 980mm-780mm;
- Three colors for choice, green, pink and blue.

- 气控升降装置可以调节高低，方便母婴交流；
- 纯铝合金立柱；透明高强度婴儿盆，整车看起来美观，大方，实用；
- 气拉调节整个婴儿盆的倾斜；
- 高-低：980毫米-780毫米；
- 三种颜色供选择，绿色，粉色及蓝色。



LS-2YC Baby cart 婴儿车

- Besides all features of LS-1YC, LS-2YC has more functions of weight measuring, atmosphere temperature showing and music playing, really a wonderful choice for you.
- 除拥有LS-1YC的所有特征外，LS-2YC还配备了称重，显示环境温度及音乐播放的功能，是您极好的选择。




Castor 脚轮



LS-6218 | Castor 脚轮

							
mm	mm	mm	mm	mm	mm	mm	kg
100	32	77×67	61.5/56×51.4×46.5	8.5	37	141	100
125	32	77×67	61.5/56×51.4×46.5	8.5	37	166	100



LS-6219 | Castor 脚轮

							
mm	mm	mm	mm	mm	mm	mm	kg
100	32	77×67	61.5/56×51.4×46.5	8.5	37	141	100
125	32	77×67	61.5/56×51.4×46.5	8.5	37	166	100



LS-6220 | Castor 脚轮

					
mm	mm	mm	mm	mm	kg
100	32	M10(12,16)×25	37	137	100
125	32	M10(12,16)×25	37	162	100



LS-6221 | Castor 脚轮

					
mm	mm	mm	mm	mm	kg
100	32	M10(12,16)×25	37	137	100
125	32	M10(12,16)×25	37	162	100



LS-6222 | Castor
脚轮

							
mm	mm	mm	mm	mm	mm	mm	kg
125	60	28	96	37.5	150	125	
150	70	28	96	45	175	125	



LS-6223 | Castor
脚轮

							
mm	mm	mm	mm	mm	mm	mm	kg
75	25	77×55	57/51×41	5.5	28	103	100



LS-6224 | Castor
脚轮

					
mm	mm	mm	mm	mm	kg
100	22	M12	40	132	70
125	22	M12	40	145	70



LS-6225 | Castor
脚轮

			
mm	mm	mm	kg
50	11×20	49	58



LS-6227 | Castor
脚轮

					
mm	mm	mm	mm	mm	kg
100	22	M10(12,16)×25	40	132	100
125	22	M10(12,16)×25	40	145	100



LS-6228 | Castor
脚轮

					
mm	mm	mm	mm	mm	kg
100	32	M10(12,16)×25	40	132	100
125	32	M10(12,16)×25	40	145	100



LS-6229 | Castor
脚轮

				
mm	mm	mm	mm	kg
150	35	28	96	150
200	35	28	96	150



LS-6235 | Castor
脚轮

					
mm	mm	mm	mm	mm	kg
100	76	M10	33	137	100
125	76	M12	33	162	100
150	76	M16	33	162	100



LS-6230 | Castor
脚轮

					
mm	mm	mm	mm	mm	kg
100	76	M10	33	137	100
125	76	M12	33	162	100



LS-6231 | Castor
脚轮

					
mm	mm	mm	mm	mm	kg
100	76	M10	33	137	100
125	76	M12	33	162	100



LS-6236 | Castor
脚轮

						
mm	mm	mm	mm	mm	mm	kg
100	32	28	96	31	129	125
125	32	28	96	37.5	150	125



LS-6237 | Castor
脚轮

						
mm	mm	mm	mm	mm	mm	kg
100	32	28	96	31	129	125
125	32	28	96	37.5	150	125
150	32	28	96	45	175	125



LS-6238 | Castor
脚轮

						
mm	mm	mm	mm	mm	mm	kg
100	32	28	96	31	129	125
125	32	28	96	37.5	150	125



LS-6239 | Castor
脚轮

						
mm	mm	mm	mm	mm	mm	kg
100	32	28	96	31	129	125
125	32	28	96	37.5	150	125



LS-6240 | Castor
脚轮

						
mm	mm	mm	mm	mm	mm	kg
100	32	28	45	31	129	125
125	32	28	45	37.5	150	125
150	32	28	45	45	175	125



LS-6241 | Castor
脚轮

						
mm	mm	mm	mm	mm	mm	kg
100	32	28	45	31	129	125
125	32	28	45	37.5	150	125

